

t23_jordan1b

(TMK9LKDSQrkmGc3xvnpmLXJDeE5qujiUvFK)

October 27, 2020

Let $v3_relat_1 : \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $v2_goboard1 : \iota \Rightarrow o$ be given. Let $v3_goboard1 : \iota \Rightarrow o$ be given. Let $v4_goboard1 : \iota \Rightarrow o$ be given. Let $v5_goboard1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k3_goboard5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k18_euclid : \iota \Rightarrow \iota$ be given. Let $k3_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $k17_euclid : \iota \Rightarrow \iota$ be given. Let $k19_euclid : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v6_membered : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow ((k17_euclid (k19_euclid X0 X1) = X0) \wedge (k18_euclid (k19_euclid X0 X1) = X1))) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 X1 k5_numbers) \Rightarrow (\forall X2.(m1_subset_1 X2 k5_numbers) \Rightarrow (\forall X3. \\ & ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 (u1_struct_0 (k15_euclid np_2)))))) \Rightarrow (\neg(v4_goboard1 X3) \wedge ((r1_xxreal_0 np_1 X0) \wedge ((\neg r1_xxreal_0 X1 X0) \wedge ((r1_xxreal_0 X1 (k1_matrix_1 X3)) \wedge \\ & ((r1_xxreal_0 np_1 X2) \wedge ((r1_xxreal_0 X2 (k3_finseq_1 X3)) \wedge (r1_xxreal_0 (k18_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X3 X2 X1)) (k18_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X3 X2 X0))))))))))))) \quad (2) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.((\neg v3_relat_1 \\
& X1) \wedge ((v1_matrix_1 X1) \wedge ((v2_goboard1 X1) \wedge ((v3_goboard1 X1) \wedge \\
& (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 (k15_euclid np_2))))))) \Rightarrow \\
& ((r1_xxreal_0 np_1 X0) \Rightarrow ((r1_xxreal_0 (k3_finseq_1 X1) X0) \vee (\\
& k3_goboard5 X1 X0 (k1_matrix_1 X1) = ReplSep2 (toset (\lambda X2 : \iota. \\
& m1_subset_1 X2 k1_numbers)) (\lambda X2 : \iota. toset (\lambda X3 : \iota. m1_subset_1 \\
& X3 k1_numbers)) (\lambda X2 : \iota. \lambda X3 : \iota. (r1_xxreal_0 (k17_euclid \\
& (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X1 X0 np_1)) X2) \wedge \\
& ((r1_xxreal_0 X2 (k17_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid \\
& np_2)) X1 (k2_nat_1 X0 np_1) np_1))) \wedge (r1_xxreal_0 (k18_euclid \\
& (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X1 np_1 (k1_matrix_1 \\
& X1))) X3))) (\lambda X2 : \iota. \lambda X3 : \iota. k19_euclid X2 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow (\forall X2. \\
& (v1_xxreal_0 X2) \Rightarrow (((r1_xxreal_0 X0 X1) \wedge (r1_xxreal_0 X1 X2)) \Rightarrow \\
& (r1_xxreal_0 X0 X2))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow ((\\
& (r1_xxreal_0 X0 X1) \wedge (r1_xxreal_0 X1 X0)) \Rightarrow (X0 = X1))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 \\
& X1 k5_numbers) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 \\
& (k3_finseq_2 (u1_struct_0 (k15_euclid np_2)))))) \Rightarrow (((v3_goboard1 \\
& X2) \wedge ((r1_xxreal_0 np_1 X0) \wedge ((r1_xxreal_0 X0 (k1_matrix_1 X2)) \wedge \\
& ((r1_xxreal_0 np_1 X1) \wedge (r1_xxreal_0 X1 (k3_finseq_1 X2)))))) \Rightarrow \\
& (k18_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X2 \\
& X1 X0) = k18_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) \\
& X2 np_1 X0))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\
& ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (\\
& r1_xxreal_0 X0 X0)
\end{aligned} \tag{8}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{9}$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (10)$$

Assume the following.

$$v6_membered\ k4_ordinal1 \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (12)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge((v1_finseq_1 X0)\wedge(v1_matrix_1 X0))))\Rightarrow(m1_subset_1 (k1_matrix_1 X0) k5_numbers) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow(v1_xxreal_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0)\Rightarrow(v1_xxreal_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_relat_1 X1)) \quad (16)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (17)$$

Assume the following.

$$\forall X0.(v6_membered X0)\Rightarrow(\forall X1.(m1_subset_1 X1 X0)\Rightarrow(v7_ordinal1 X1)) \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v3_relat_1 X0)\wedge((v1_matrix_1 X0)\wedge((v2_goboard1 X0)\wedge((v3_goboard1 X0)\wedge((v4_goboard1 X0)\wedge((v5_goboard1 X0)\wedge(m2_finseq_1 X0 (k3_finseq_2 (u1_struct_0 (k15_euclid np_2))))))))))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 k5_numbers)\Rightarrow(\forall X2.(m1_subset_1 X2 k5_numbers)\Rightarrow(\forall X3.(m1_subset_1 X3 k5_numbers)\Rightarrow(\forall X4. \\ & (m1_subset_1 X4 (u1_struct_0 (k15_euclid np_2))\Rightarrow(((r1_xxreal_0 np_1 X1)\wedge((r1_xxreal_0 np_1 X2)\wedge((r1_xxreal_0 X2 (k3_finseq_1 X0))\wedge((r1_xxreal_0 np_1 X3)\wedge((r1_xxreal_0 X3 (k1_matrix_1 X0))\wedge \\ & ((X4 \in k3_goboard5 X0 X1 (k1_matrix_1 X0))\wedge(k18_euclid X4 = k18_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X0 X2 X3))))))))))\Rightarrow \\ & ((r1_xxreal_0 (k3_finseq_1 X0) X1)\vee(k1_matrix_1 X0 = X3)))))) \end{aligned}$$