

t23_matrix_4 (TMLGVGx- PAzm5Ybw5S1ePkjc21hPGQQyNKy7)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k3_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k3_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
 & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
 & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
 & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
 & X0)))) \Rightarrow (\forall X2. ((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
 & (u1_struct_0 X0)))) \Rightarrow (\forall X3. ((v1_matrix_1 X3) \wedge (m2_finseq_1 \\
 & X3 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 \\
 & X2) \wedge (k1_matrix_1 X1 = k1_matrix_1 X2)) \Rightarrow (k3_matrix_3 X0 (k3_matrix_3 \\
 & X0 X1 X2) X3 = k3_matrix_3 X0 X1 (k3_matrix_3 X0 X2 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge (k1_matrix_1 \\
& X1 = k1_matrix_1 X2)) \Rightarrow (k3_matrix_3 X0 X1 X2 = k3_matrix_3 X0 X2 X1))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge (k1_matrix_1 \\
& X1 = k1_matrix_1 X2)) \Rightarrow (X1 = k3_matrix_3 X0 X1 (k1_matrix_4 X0 X2 X2))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 \\
& X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge \\
& ((v5_group_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\
& (((v1_matrix_1 X1) \wedge (m1_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \wedge ((v1_matrix_1 X2) \wedge (m1_finseq_1 X2 (k3_finseq_2 (u1_struct_0 \\
& X0)))))) \Rightarrow ((v1_matrix_1 (k3_matrix_3 X0 X1 X2)) \wedge (m2_finseq_1 \\
& (k3_matrix_3 X0 X1 X2) (k3_finseq_2 (u1_struct_0 X0))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge \\
& ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \wedge \\
& ((v1_matrix_1 X1) \wedge (m1_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow ((v1_matrix_1 (k2_matrix_3 X0 X1)) \wedge (m2_finseq_1 (k2_matrix_3 \\
& X0 X1) (k3_finseq_2 (u1_struct_0 X0))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (\forall X3.((v1_matrix_1 X3) \wedge (m2_finseq_1 \\
& X3 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow ((X3 = k3_matrix_3 X0 X1 X2) \Leftrightarrow \\
& ((k3_finseq_1 X3 = k3_finseq_1 X1) \wedge ((k1_matrix_1 X3 = k1_matrix_1 \\
& X1) \wedge (\forall X4.(v7_ordinal1 X4) \Rightarrow (\forall X5.(v7_ordinal1 X5) \Rightarrow \\
& ((k4_tarski X4 X5 \in k2_matrix_1 X1) \Rightarrow (k3_matrix_1 (u1_struct_0 \\
& X0) X3 X4 X5 = k3_rlvect_1 X0 (k3_matrix_1 (u1_struct_0 X0) X1 X4 X5) \\
& (k3_matrix_1 (u1_struct_0 X0) X2 X4 X5))))))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow ((X2 = k2_matrix_3 X0 X1) \Leftrightarrow ((k3_finseq_1 X2 = \\
& k3_finseq_1 X1) \wedge ((k1_matrix_1 X2 = k1_matrix_1 X1) \wedge (\forall X3. \\
& (v7_ordinal1 X3) \Rightarrow (\forall X4.(v7_ordinal1 X4) \Rightarrow ((k4_tarski X3 \\
& X4 \in k2_matrix_1 X1) \Rightarrow (k3_matrix_1 (u1_struct_0 X0) X2 X3 X4 = k4_algstr_0 \\
& X0 (k3_matrix_1 (u1_struct_0 X0) X1 X3 X4))))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (k1_matrix_4 X0 X1 X2 = k3_matrix_3 X0 X1 (k2_matrix_3 \\
& X0 X2)))
\end{aligned} \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2. ((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow (\forall X3. ((v1_matrix_1 X3) \wedge (m2_finseq_1 \\
& X3 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (((k3_finseq_1 X1 = k3_finseq_1 \\
& X2) \wedge ((k3_finseq_1 X2 = k3_finseq_1 X3) \wedge ((k1_matrix_1 X1 = k1_matrix_1 \\
& X2) \wedge (k1_matrix_1 X2 = k1_matrix_1 X3)))) \Rightarrow (k3_matrix_3 X0 X1 X3 = \\
& k3_matrix_3 X0 (k3_matrix_3 X0 X1 X2) (k1_matrix_4 X0 X3 X2))))))
\end{aligned}$$