

# t23\_matrix\_6 (TMGt- GHoCuG1VwpWgNy3m7hCrekjxyiCFhhm)

October 27, 2020

Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v33\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k5\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_matrix\_1 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(v7\_ordinal1 X1) \Rightarrow (\forall X2. \\
& (\neg v1\_xboole\_0 X2) \Rightarrow (\forall X3.(m1\_matrix\_1 X3 X2 X0 X1) \Rightarrow (\forall X4. \\
& (m1\_matrix\_1 X4 X2 X0 X1) \Rightarrow ((\forall X5.(v7\_ordinal1 X5) \Rightarrow (\forall X6. \\
& (v7\_ordinal1 X6) \Rightarrow ((k4\_tarski X5 X6 \in k2\_matrix\_1 X3) \Rightarrow (k3\_matrix\_1 \\
& X2 X3 X5 X6 = k3\_matrix\_1 X2 X4 X5 X6)))))) \Rightarrow (X3 = X4))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(\neg v1\_xboole\_0 X1) \Rightarrow ( \\
& \forall X2.(m1\_matrix\_1 X2 X1 X0 X0) \Rightarrow ((k3\_finseq\_1 X2 = X0) \wedge ((k1\_matrix\_1 \\
& X2 = X0) \wedge (k2\_matrix\_1 X2 = k2\_zfmisc\_1 (k2\_finseq\_1 X0) (k2\_finseq\_1 \\
& X0))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge((\neg v1\_xboole\_0\ X1)\wedge(m1\_matrix\_1\ X2\ X1\ X0\ X0)))\Rightarrow(k5\_matrix\_1\ X0\ X1\ X2 = k4\_matrix\_1\ X1\ X2) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge(((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))))))\wedge(m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)))\Rightarrow(k2\_matrix\_6\ X0\ X1\ X2\ X3 = k3\_matrix\_3\ X1\ X2\ X3) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0\ X0)\wedge(l1\_struct\_0\ X0))\Rightarrow(\neg v1\_xboole\_0\ (u1\_struct\_0\ X0)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0\ X0)\wedge((v7\_ordinal1\ X1)\wedge(v7\_ordinal1\ X2)))\Rightarrow(\forall X3.(m1\_matrix\_1\ X3\ X0\ X1\ X2)\Rightarrow((v1\_matrix\_1\ X3)\wedge(m2\_finseq\_1\ X3\ (k3\_finseq\_2\ X0)))) \quad (6)$$

Assume the following.

$$\forall X0.(l6\_algstr\_0\ X0)\Rightarrow((l2\_algstr\_0\ X0)\wedge(l5\_algstr\_0\ X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l2\_algstr\_0\ X0)\Rightarrow((l2\_struct\_0\ X0)\wedge(l1\_algstr\_0\ X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_algstr\_0\ X0)\Rightarrow(l1\_struct\_0\ X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge((\neg v1\_xboole\_0\ X1)\wedge(m1\_matrix\_1\ X2\ X1\ X0\ X0)))\Rightarrow(m1\_matrix\_1\ (k5\_matrix\_1\ X0\ X1\ X2)\ X1\ X0\ X0) \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((v7\_ordinal1 X0) \wedge \\
& \quad (((\neg v2\_struct\_0 X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge \\
& \quad ((v33\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 \\
& \quad X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge \\
& \quad ((v5\_vectsp\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \wedge ((m1\_matrix\_1 \\
& \quad X2 (u1\_struct\_0 X1) X0 X0) \wedge (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0))) \Rightarrow \\
& \quad (m1\_matrix\_1 (k2\_matrix\_6 X0 X1 X2 X3) (u1\_struct\_0 X1) X0 X0)
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1. ((v1\_matrix\_1 X1) \wedge \\
& \quad (m2\_finseq\_1 X1 (k3\_finseq\_2 X0))) \Rightarrow (\forall X2. ((v1\_matrix\_1 \\
& \quad X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 X0))) \Rightarrow ((X2 = k4\_matrix\_1 X0 X1) \Leftrightarrow \\
& \quad ((k3\_finseq\_1 X2 = k1\_matrix\_1 X1) \wedge ((\forall X3. (v7\_ordinal1 \\
& \quad X3) \Rightarrow (\forall X4. (v7\_ordinal1 X4) \Rightarrow ((k4\_tarski X3 X4 \in k2\_matrix\_1 \\
& \quad X2) \Leftrightarrow (k4\_tarski X4 X3 \in k2\_matrix\_1 X1)))) \wedge (\forall X3. (v7\_ordinal1 \\
& \quad X3) \Rightarrow (\forall X4. (v7\_ordinal1 X4) \Rightarrow ((k4\_tarski X4 X3 \in k2\_matrix\_1 \\
& \quad X1) \Rightarrow (k3\_matrix\_1 X0 X2 X3 X4 = k3\_matrix\_1 X0 X1 X4 X3)))))))))) \Rightarrow \\
& \quad (12)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& \quad X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
& \quad (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
& \quad X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& \quad ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
& \quad X0)))) \Rightarrow (\forall X2. ((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
& \quad (u1\_struct\_0 X0)))) \Rightarrow (\forall X3. ((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 \\
& \quad X3 (k3\_finseq\_2 (u1\_struct\_0 X0)))) \Rightarrow ((X3 = k3\_matrix\_3 X0 X1 X2) \Leftrightarrow \\
& \quad ((k3\_finseq\_1 X3 = k3\_finseq\_1 X1) \wedge ((k1\_matrix\_1 X3 = k1\_matrix\_1 \\
& \quad X1) \wedge (\forall X4. (v7\_ordinal1 X4) \Rightarrow (\forall X5. (v7\_ordinal1 X5) \Rightarrow \\
& \quad ((k4\_tarski X4 X5 \in k2\_matrix\_1 X1) \Rightarrow (k3\_matrix\_1 (u1\_struct\_0 \\
& \quad X0) X3 X4 X5 = k3\_rlvect\_1 X0 (k3\_matrix\_1 (u1\_struct\_0 X0) X1 X4 X5) \\
& \quad (k3\_matrix\_1 (u1\_struct\_0 X0) X2 X4 X5)))))))))) \Rightarrow \\
& \quad (13)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0. (v7\_ordinal1 X0) \Rightarrow (\forall X1. ((\neg v2\_struct\_0 X1) \wedge \\
& \quad ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ( \\
& \quad (v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\
& \quad X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge \\
& \quad (l6\_algstr\_0 X1)))))))))) \Rightarrow (\forall X2. (m1\_matrix\_1 X2 (u1\_struct\_0 \\
& \quad X1) X0 X0) \Rightarrow (\forall X3. (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0) \Rightarrow \\
& \quad (k5\_matrix\_1 X0 (u1\_struct\_0 X1) (k2\_matrix\_6 X0 X1 X2 X3) = k2\_matrix\_6 \\
& \quad X0 X1 (k5\_matrix\_1 X0 (u1\_struct\_0 X1) X2) (k5\_matrix\_1 X0 (u1\_struct\_0 \\
& \quad X1) X3))))))
\end{aligned}$$