

t23_measure1

(TMWJgnKHLeTjcrWP1668gSTC3HwFEYeGeJk)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_prob_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_measure1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_card_3 : \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v1_xboole_0 X1) \wedge ((v1_prob_1 \\ & X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers X1) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X1)))))) \Rightarrow (k4_measure1 \\ & X0 X1 X2 = k10_xtuple_0 X2) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)) \Rightarrow (k2_relset_1 X0 X1 = k10_xtuple_0 X1) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v1_xboole_0 X1) \wedge ((v1_prob_1 \\ & X1 X0) \wedge ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers X1) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X1)))))) \Rightarrow ((\neg v1_xboole_0 \\ & (k4_measure1 X0 X1 X2)) \wedge (m1_subset_1 (k4_measure1 X0 X1 X2) (k1_zfmisc_1 \\ & (k1_zfmisc_1 X0)))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)) \Rightarrow (m1_subset_1 (k2_relset_1 X0 X1) (k1_zfmisc_1 X0)) \tag{4}$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ X0)) \Rightarrow ((v4_card_3 X1) \Leftrightarrow (\neg(\neg v1_xboole_0 X1) \wedge (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 k5_numbers X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 k5_numbers X0)))))) \Rightarrow (X1 \neq k2_relset_1 X0 X2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (7)$$

Theorem 1

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0 X1) \wedge ((v1_prob_1 X1 X0) \wedge \\ ((v4_prob_1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\ X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X1)))))) \Rightarrow \\ ((\neg v1_xboole_0 (k4_measure1 X0 X1 X2)) \wedge ((v4_card_3 (k4_measure1 \\ X0 X1 X2)) \wedge (m1_subset_1 (k4_measure1 X0 X1 X2) (k1_zfmisc_1 (k1_zfmisc_1 \\ X0)))))) \end{aligned}$$