

## t23\_mod\_4

(TMZCXYwdtyCiD8ogpNCpYjP9vDSgrvUPzg4)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_ringcat1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k4\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v13\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v6\_group\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_group\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
 & X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
 & ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v3\_group\_1 \\
 & X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge \\
 & ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l6\_algstr\_0 X1)))))))) \Rightarrow \\
 & (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X1) \\
 & (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
 & (u1\_struct\_0 X1) (u1\_struct\_0 X0)))))) \Rightarrow (\forall X3. (m1\_subset\_1 \\
 & X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. (m1\_subset\_1 X4 (u1\_struct\_0 \\
 & X1)) \Rightarrow ((v1\_ringcat1 X2 X1 X0) \Rightarrow (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 \\
 & X0) X2 (k5\_algstr\_0 X1 X3 X4) = k5\_algstr\_0 X0 (k3\_funct\_2 (u1\_struct\_0 \\
 & X1) (u1\_struct\_0 X0) X2 X3) (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 \\
 & X0) X2 X4))))))
 \end{aligned}
 \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X1) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X1) (u1\_struct\_0 X0)))))) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1) \Rightarrow ((v1\_ringcat1 X2 X1 X0) \Rightarrow (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 X0) X2 (k4\_algstr\_0 X1 X3) = k4\_algstr\_0 X0 (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 X0) X2 X3))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow ((v13\_vectsp\_1 X2 X0 X1) \Rightarrow (k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 (k4\_struct\_0 X0) = k4\_struct\_0 X1)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge (l6\_algstr\_0 X0)) \wedge ((\neg v2\_struct\_0 X1) \wedge (l6\_algstr\_0 X1))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))) \Rightarrow \\
& (((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 X1)) \wedge (v1\_ringcat1 X2 X0 X1))) \Rightarrow ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) (u1\_struct\_0 X1)) \wedge (v6\_group\_1 X2 X0 X1) \wedge (v1\_group\_6 X2 X0 X1) \wedge (v13\_vectsp\_1 X2 X0 X1))))))
\end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v3\_group\_1 \\
& X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge \\
& ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u1\_struct\_0 X0) \\
& (u1\_struct\_0 X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\
& X0)) \Rightarrow ((v1\_ringcat1 X2 X0 X1) \Rightarrow ((k3\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X1) X2 (k4\_struct\_0 X0) = k4\_struct\_0 X1) \wedge ((k3\_funct\_2 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1) X2 (k4\_algstr\_0 X0 X3) = k4\_algstr\_0 X1 (k3\_funct\_2 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3)) \wedge (k3\_funct\_2 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1) X2 (k5\_algstr\_0 X0 X3 X4) = k5\_algstr\_0 X1 (k3\_funct\_2 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) (k3\_funct\_2 (u1\_struct\_0 \\
& X0) (u1\_struct\_0 X1) X2 X4))))))))))
\end{aligned}$$