

## t23\_oppcat\_1

(TMdMu3meQ4HgkXoZpeiiR3bgTTKGztEXX4V)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v11\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v3\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v5\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v6\_cat\_1 : \iota \Rightarrow o$  be given. Let  $l1\_cat\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $m1\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v8\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_oppcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_oppcat\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_oppcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v7\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_oppcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $g1\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_cat\_1 : \iota \Rightarrow o$  be given. Let  $l5\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $u4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $l1\_graph\_1 : \iota \Rightarrow o$  be given. Let  $u2\_graph\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_graph\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_cat\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_oppcat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\
 & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\
 & X0) \wedge (l1\_cat\_1 X0))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\
 & (k2\_oppcat\_1 X0))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\
 & (k2\_oppcat\_1 X0))) \Rightarrow (k2\_cat\_1 (k2\_oppcat\_1 X0) X1 X2 = k2\_cat\_1 \\
 & X0 (k4\_oppcat\_1 X0 X2) (k4\_oppcat\_1 X0 X1))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\
 & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\
 & X0) \wedge (l1\_cat\_1 X0))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\
 & X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (k2\_cat\_1 \\
 & X0 X1 X2 = k2\_cat\_1 (k2\_oppcat\_1 X0) (k3\_oppcat\_1 X0 X2) (k3\_oppcat\_1 \\
 & X0 X1))))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\
& X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\
& X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\
& (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\neg(k2\_cat\_1 X0 X1 X2 \neq k1\_xboole\_0) \wedge \\
& ((k2\_cat\_1 X0 X2 X3 \neq k1\_xboole\_0) \wedge (\neg \forall X4.(m1\_cat\_1 X4 X0 \\
& X1 X2) \Rightarrow (\forall X5.(m1\_cat\_1 X5 X0 X2 X3) \Rightarrow (k5\_cat\_1 X0 X1 X2 X3 X4 \\
& X5 = k5\_cat\_1 (k2\_oppcat\_1 X0) (k3\_oppcat\_1 X0 X3) (k3\_oppcat\_1 \\
& X0 X2) (k3\_oppcat\_1 X0 X1) (k7\_oppcat\_1 X0 X2 X3 X5) (k7\_oppcat\_1 \\
& X0 X1 X2 X4))))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (((v1\_funct\_1 \\
& X2) \wedge ((v1\_funct\_2 X2 X1 X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& X1 X0)))))) \wedge (((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 X1 X0) \wedge (m1\_subset\_1 \\
& X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X1 X0)))))) \wedge ((v1\_funct\_1 X4) \wedge (m1\_subset\_1 \\
& X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 X1 X1) X1)))))) \Rightarrow (\forall X5. \\
& \forall X6. \forall X7. \forall X8. \forall X9. (g1\_cat\_1 X0 X1 X2 \\
& X3 X4 = g1\_cat\_1 X5 X6 X7 X8 X9) \Rightarrow ((X0 = X5) \wedge ((X1 = X6) \wedge ((X2 = X7) \wedge ((X3 = \\
& X8) \wedge (X4 = X9))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\
& X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\
& X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow ((\neg v2\_struct\_0 (k2\_oppcat\_1 X0)) \wedge \\
& ((\neg v11\_struct\_0 (k2\_oppcat\_1 X0)) \wedge ((v1\_cat\_1 (k2\_oppcat\_1 X0)) \wedge \\
& ((v2\_cat\_1 (k2\_oppcat\_1 X0)) \wedge ((v3\_cat\_1 (k2\_oppcat\_1 X0)) \wedge \\
& (v4\_cat\_1 (k2\_oppcat\_1 X0)) \wedge ((v5\_cat\_1 (k2\_oppcat\_1 X0)) \wedge (v6\_cat\_1 \\
& (k2\_oppcat\_1 X0))))))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.((\neg v11\_struct\_0 X0) \wedge (l5\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u4\_struct\_0 X0)) \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l1\_graph\_1 X0) \Rightarrow ((v1\_funct\_1 (u2\_graph\_1 X0)) \wedge (( \\
& v1\_funct\_2 (u2\_graph\_1 X0) (u4\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge \\
& (m1\_subset\_1 (u2\_graph\_1 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u4\_struct\_0 \\
& X0) (u1\_struct\_0 X0))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\forall X0.(l1\_graph\_1 X0) \Rightarrow ((v1\_funct\_1 (u1\_graph\_1 X0)) \wedge ((v1\_funct\_2 (u1\_graph\_1 X0) (u4\_struct\_0 X0) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 (u1\_graph\_1 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u4\_struct\_0 X0) (u1\_struct\_0 X0)))))) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_cat\_1 X0) \Rightarrow ((v1\_funct\_1 (u1\_cat\_1 X0)) \wedge (m1\_subset\_1 (u1\_cat\_1 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (u4\_struct\_0 X0) (u4\_struct\_0 X0)) (u4\_struct\_0 X0)))))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge (l1\_cat\_1 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (\forall X3.(m1\_cat\_1 X3 X0 X1 X2) \Rightarrow (m1\_subset\_1 X3 (u4\_struct\_0 X0))) \quad (10)$$

Assume the following.

$$\forall X0.(l1\_graph\_1 X0) \Rightarrow (l5\_struct\_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1\_cat\_1 X0) \Rightarrow (l1\_graph\_1 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 X0) \wedge (l1\_cat\_1 X0)))))))))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0)) \wedge (m1\_cat\_1 X3 X0 X1 X2)))) \Rightarrow (m1\_cat\_1 (k7\_oppcat\_1 X0 X1 X2 X3) (k2\_oppcat\_1 X0) (k3\_oppcat\_1 X0 X2) (k3\_oppcat\_1 X0 X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 X0) \wedge (l1\_cat\_1 X0)))))))))) \wedge (m1\_subset\_1 X1 (u1\_struct\_0 (k2\_oppcat\_1 X0))) \Rightarrow (m1\_subset\_1 (k4\_oppcat\_1 X0 X1) (u1\_struct\_0 X0)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge \\ & ((v2\_cat\_1 X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge \\ & ((v6\_cat\_1 X0) \wedge (l1\_cat\_1 X0)))))))) \wedge (m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0))) \Rightarrow (m1\_subset\_1 (k3\_oppcat\_1 X0 X1) (u1\_struct\_0 (k2\_oppcat\_1 \\ & X0))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow ((\neg v2\_struct\_0 (k2\_oppcat\_1 X0)) \wedge \\ & ((\neg v11\_struct\_0 (k2\_oppcat\_1 X0)) \wedge ((v1\_cat\_1 (k2\_oppcat\_1 X0)) \wedge \\ & (l1\_cat\_1 (k2\_oppcat\_1 X0)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1\_xboole\_0 X0) \wedge \\ & ((\neg v1\_xboole\_0 X1) \wedge ((\neg v1\_xboole\_0 X2) \wedge ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 \\ & X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1) X2)))))) \Rightarrow (( \\ & v1\_funct\_1 (k1\_oppcat\_1 X0 X1 X2 X3)) \wedge (m1\_subset\_1 (k1\_oppcat\_1 \\ & X0 X1 X2 X3) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 X1 X0) X2)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k2\_cat\_1 \\ & X0 X1 X2 \neq k1\_xboole\_0) \Rightarrow (\forall X3. (m1\_cat\_1 X3 X0 X1 X2) \Rightarrow (k7\_oppcat\_1 \\ & X0 X1 X2 X3 = X3)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge (l1\_cat\_1 \\ & X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k2\_cat\_1 X0 X1 X2 \neq k1\_xboole\_0) \Rightarrow \\ & (\forall X3. (m1\_subset\_1 X3 (u4\_struct\_0 X0)) \Rightarrow ((m1\_cat\_1 X3 X0 \\ & X1 X2) \Leftrightarrow (X3 \in k2\_cat\_1 X0 X1 X2)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 \\ & (k2\_oppcat\_1 X0))) \Rightarrow (k4\_oppcat\_1 X0 X1 = k3\_oppcat\_1 (k2\_oppcat\_1 \\ & X0) X1)) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (k3\_oppcat\_1 X0 X1 = X1)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (k2\_oppcat\_1 X0 = g1\_cat\_1 (u1\_struct\_0 \\ X0) (u4\_struct\_0 X0) (u2\_graph\_1 X0) (u1\_graph\_1 X0) (k1\_oppcat\_1 \\ (u4\_struct\_0 X0) (u4\_struct\_0 X0) (u4\_struct\_0 X0) (u1\_cat\_1 X0))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ (m1\_cat\_1 X3 X0 X1 X2) \Rightarrow ((v8\_cat\_1 X3 X0 X1 X2) \Leftrightarrow ((k2\_cat\_1 X0 X1 X2 \neq \\ k1\_xboole\_0) \wedge (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ ((k2\_cat\_1 X0 X2 X4 \neq k1\_xboole\_0) \Rightarrow (\forall X5.(m1\_cat\_1 X5 X0 X2 \\ X4) \Rightarrow (\forall X6.(m1\_cat\_1 X6 X0 X2 X4) \Rightarrow ((k5\_cat\_1 X0 X1 X2 X4 X3 X5 = \\ k5\_cat\_1 X0 X1 X2 X4 X3 X6) \Rightarrow (X5 = X6)))))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ (m1\_cat\_1 X3 X0 X1 X2) \Rightarrow ((v7\_cat\_1 X3 X0 X1 X2) \Leftrightarrow ((k2\_cat\_1 X0 X1 X2 \neq \\ k1\_xboole\_0) \wedge (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ ((k2\_cat\_1 X0 X4 X1 \neq k1\_xboole\_0) \Rightarrow (\forall X5.(m1\_cat\_1 X5 X0 X4 \\ X1) \Rightarrow (\forall X6.(m1\_cat\_1 X6 X0 X4 X1) \Rightarrow ((k5\_cat\_1 X0 X4 X1 X2 X5 X3 = \\ k5\_cat\_1 X0 X4 X1 X2 X6 X3) \Rightarrow (X5 = X6)))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1\_cat\_1 X0) \Rightarrow ((v1\_cat\_1 X0) \Rightarrow (X0 = g1\_cat\_1 (u1\_struct\_0 \\ X0) (u4\_struct\_0 X0) (u1\_graph\_1 X0) (u2\_graph\_1 X0) (u1\_cat\_1 \\ X0))) \end{aligned} \quad (25)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k2\_cat\_1 \\ & X0 X1 X2 \neq k1\_xboole\_0) \Rightarrow (\forall X3.(m1\_cat\_1 X3 X0 X1 X2) \Rightarrow ((v8\_cat\_1 \\ & (k7\_oppcat\_1 X0 X1 X2 X3) (k2\_oppcat\_1 X0) (k3\_oppcat\_1 X0 X2) (k3\_oppcat\_1 \\ & X0 X1)) \Leftrightarrow (v7\_cat\_1 X3 X0 X1 X2)))))) \end{aligned}$$