

t23_rmod_4 (TMYh- nfF6uhE1JVXSBGJxTYgoTPLHCwtWF5f)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vectsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1.((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1))) \Rightarrow ((k3_finseq_1 X0 = k3_finseq_1 X1) \Leftrightarrow (k1_relset_1 k5_numbers \\ & X0 = k1_relset_1 k5_numbers X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge((v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))))) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge \\ & ((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))))\wedge(((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge \\ & ((v4_vectsp_2 X1 X0)\wedge(l1_vectsp_2 X1 X0))))))\wedge((m1_finseq_1 X2 (u1_struct_0 X1))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 (u1_struct_0 X1) (u1_struct_0 X0))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0))))))))))\Rightarrow(m2_finseq_1 (k4_rmod_4 X0 X1 X2 X3) (u1_struct_0 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v4_vectsp_2 X1 X0)\wedge(l1_vectsp_2 X1 X0))))))))\Rightarrow(\forall X2.(m2_finseq_1 X2 (u1_struct_0 X1))\Rightarrow(\forall X3.((v1_funct_1 X3)\wedge((v1_funct_2 X3 (u1_struct_0 X1) (u1_struct_0 X0))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0))))))\Rightarrow(\forall X4.(m2_finseq_1 X4 (u1_struct_0 X1))\Rightarrow((X4 = k4_rmod_4 X0 X1 X2 X3)\Leftrightarrow((k3_finseq_1 X4 = k3_finseq_1 X2)\wedge(\forall X5.(v7_ordinal1 X5)\Rightarrow((X5 \in k9_xtuple_0 X4)\Rightarrow(k1_funct_1 X4 X5 = k5_vectsp_2 X0 X1 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X3 (k7_partfun1 (u1_struct_0 X1) X2 X5)) (k7_partfun1 (u1_struct_0 X1) X2 X5)))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge((v5_relat_1 X1 X0)\wedge(v1_funct_1 X1)))\Rightarrow(\forall X2.(X2 \in k9_xtuple_0 X1)\Rightarrow(k7_partfun1 X0 X1 X2 = k1_funct_1 X1 X2)) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (9)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))))) \Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\ & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\ & (l1_vectsp_2 X1 X0))))))))) \Rightarrow (\forall X2.(v7_ordinal1 X2) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X1)) \Rightarrow (\forall X4.(m2_finseq_1 X4 \\ & (u1_struct_0 X1)) \Rightarrow (\forall X5.((v1_funct_1 X5) \wedge ((v1_funct_2 \\ & X5 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X5 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (((X2 \in k9_xtuple_0 \\ & X4) \wedge (X3 = k1_funct_1 X4 X2)) \Rightarrow (k1_funct_1 (k4_rmod_4 X0 X1 X4 X5) \\ & X2 = k5_vectsp_2 X0 X1 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 \\ & X0) X5 X3) X3))))))))) \end{aligned}$$