

t23_vfunct_2

(TMSNtAFosdLHAf66yonGxYcvEUpu5r35oPx)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_vfunct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_complex1 : \iota \Rightarrow \iota$ be given. Let $k6_complex1 : \iota$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_numbers : \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $v1_membered : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge (l1_clvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (k4_algstr_0 X0 X1 = k1_clvect_1 X0 X1 (k10_complex1 k6_complex1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \Rightarrow ((r2_relset_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k2_numbers) \Rightarrow (k10_complex1 X0 = k4_xcmplx_0 X0) \quad (3)$$

Assume the following.

$$v1_membered k2_numbers \quad (4)$$

Assume the following.

$$\forall X0.(l2_clvect_1 X0) \Rightarrow ((l1_clvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l1_clvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1_relat_1 X1) \wedge ((v5_relat_1 X1 X0) \wedge (v1_funct_1 X1))) \Rightarrow (m1_subset_1 (k7_partfun1 X0 X1 X2) X0) \quad (7)$$

Assume the following.

$$m1_subset_1 k6_complex1 k2_numbers \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge (((\neg v2_struct_0 X1) \wedge (l2_algstr_0 X1)) \wedge ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))) \Rightarrow ((v1_funct_1 (k5_vfunct_1 X0 X1 X2)) \wedge (m1_subset_1 (k5_vfunct_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \quad (9)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (v1_xcmplx_0 (k4_xcmplx_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge (l2_algstr_0 X1)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow ((X3 = k5_vfunct_1 X0 X1 X2) \Leftrightarrow ((k1_relset_1 X0 X3 = k1_relset_1 X0 X2) \wedge (\forall X4.(m1_subset_1 X4 X0) \Rightarrow ((X4 \in k1_relset_1 X0 X3) \Rightarrow (k7_partfun1 (u1_struct_0 X1) X3 X4 = k4_algstr_0 X1 (k7_partfun1 (u1_struct_0 X1) X2 X4)))))))))) \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_clvect_1 X1) \wedge \\
& ((v3_clvect_1 X1) \wedge ((v4_clvect_1 X1) \wedge ((v5_clvect_1 X1) \wedge ((v8_clvect_1 \\
& X1) \wedge (l2_clvect_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& X1)))))) \Rightarrow (\forall X3.(v1_xcmplx_0 X3) \Rightarrow (\forall X4.((v1_funct_1 \\
& X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& X1)))))) \Rightarrow ((X4 = k2_vfunct_2 X0 X1 X2 X3) \Leftrightarrow ((k1_relset_1 X0 X4 = k1_relset_1 \\
& X0 X2) \wedge (\forall X5.(m1_subset_1 X5 X0) \Rightarrow ((X5 \in k1_relset_1 X0 X4) \Rightarrow \\
& (k7_partfun1 (u1_struct_0 X1) X4 X5 = k1_clvect_1 X1 (k7_partfun1 \\
& (u1_struct_0 X1) X2 X5) X3)))))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \tag{13}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{14}$$

Assume the following.

$$\forall X0. (v1_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v1_xcmplx_0 X1)) \tag{15}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_clvect_1 X1) \wedge \\
& ((v3_clvect_1 X1) \wedge ((v4_clvect_1 X1) \wedge ((v5_clvect_1 X1) \wedge ((v8_clvect_1 \\
& X1) \wedge (l2_clvect_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& X1)))))) \Rightarrow (r2_relset_1 X0 (u1_struct_0 X1) (k5_vfunct_1 X0 X1 X2) \\
& (k2_vfunct_2 X0 X1 X2 (k10_complex1 k6_complex1))))))
\end{aligned}$$