

t23\_yellow\_0

(TMYB5vjaehn4a6pfht3voaA3UjxxhQ8VJfc)

October 27, 2020

Let  $v5\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v2\_lattice3 : \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k12\_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k11\_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((v5\_orders\_2 X0) \wedge ((v2\_lattice3 X0) \wedge (l1\_orders\_2 \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (k11\_lattice3 X0 X1 X2 = k11\_lattice3 \\ & X0 X2 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v5\_orders\_2 X0) \wedge ((v2\_lattice3 \\ & X0) \wedge (l1\_orders\_2 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge ( \\ & m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k12\_lattice3 X0 X1 X2 = k11\_lattice3 \\ & X0 X1 X2) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v5\_orders\_2 X0) \wedge ((v2\_lattice3 \\ & X0) \wedge (l1\_orders\_2 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow ((X3 = k11\_lattice3 X0 X1 X2) \Leftrightarrow \\ & ((r1\_orders\_2 X0 X3 X1) \wedge ((r1\_orders\_2 X0 X3 X2) \wedge (\forall X4.(m1\_subset\_1 \\ & X4 (u1\_struct\_0 X0)) \Rightarrow (((r1\_orders\_2 X0 X4 X1) \wedge (r1\_orders\_2 X0 \\ & X4 X2)) \Rightarrow (r1\_orders\_2 X0 X4 X3)))))))))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow ((v2\_lattice3 X0) \Rightarrow (\neg v2\_struct\_0 X0)) \tag{4}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((v5\_orders\_2 X0) \wedge ((v2\_lattice3 X0) \wedge (l1\_orders\_2 \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ & (u1\_struct\_0 X0)) \Rightarrow ((X3 = k12\_lattice3 X0 X1 X2) \Leftrightarrow ((r1\_orders\_2 \\ & X0 X3 X1) \wedge ((r1\_orders\_2 X0 X3 X2) \wedge (\forall X4.(m1\_subset\_1 X4 ( \\ & u1\_struct\_0 X0)) \Rightarrow (((r1\_orders\_2 X0 X4 X1) \wedge (r1\_orders\_2 X0 X4 X2)) \Rightarrow \\ & (r1\_orders\_2 X0 X4 X3)))))))))) \end{aligned}$$