

t24_cat_5

(TMQUaw4epEUpgCg1HY6WzEYN7PasicLzhQA)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k10_cat_5 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_graph_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k8_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k8_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $l1_graph_1 : \iota \Rightarrow o$ be given. Let $u1_graph_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))) \Rightarrow ((X1 \neq k1_xboole_0) \Rightarrow (\forall X4. (X4 \in k8_relset_1 X0 \\ & X1 X3 X2) \Leftrightarrow ((X4 \in X0) \wedge (k1_funct_1 X3 X4 \in X2)))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k8_relset_1 X0 X1 X2 X3 = k8_relat_1 \\ & X2 X3) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (7)$$

Assume the following.

$$\forall X0.((\neg v11_struct_0 X0)\wedge(l5_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u4_struct_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_graph_1 X0)\Rightarrow((v1_funct_1 (u1_graph_1 X0))\wedge((\\ & v1_funct_2 (u1_graph_1 X0) (u4_struct_0 X0) (u1_struct_0 X0))\wedge \\ & (m1_subset_1 (u1_graph_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 \\ & X0) (u1_struct_0 X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l5_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.(l1_graph_1 X0)\Rightarrow(l5_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1_cat_1 X0)\Rightarrow(l1_graph_1 X0) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge(l1_graph_1 \\ & X0)))\Rightarrow(\forall X1.(m1_subset_1 X1 (u4_struct_0 X0))\Rightarrow(k3_graph_1 \\ & X0 X1 = k3_funct_2 (u4_struct_0 X0) (u1_struct_0 X0) (u1_graph_1 \\ & X0) X1)) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1_tarski X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow (X2 = X0)) \quad (14)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (k10_cat_5 X0 X1 = k8_relset_1 (u4_struct_0 X0) (u1_struct_0 \\
& X0) (u1_graph_1 X0) (k6_domain_1 (u1_struct_0 X0) X1)))
\end{aligned} \tag{15}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u4_struct_0 X0)) \Rightarrow ((X2 \in k10_cat_5 \\
& X0 X1) \Leftrightarrow (k3_graph_1 X0 X2 = X1))))
\end{aligned}$$