

t24_circled1 (TMYVRocjy- wsWnB6FRZmR6eYyjTcKj4gHfDt)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m2_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_circled1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $np_1 : \iota$ be given. Let $k6_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $m1_rlvect_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 (k1_tarski X1)) \Leftrightarrow ((X0 = k1_xboole_0) \vee (X0 = k1_tarski X1)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2. (m1_rlvect_2 X2 X0) \Rightarrow (((v1_circled1 X2 X0) \wedge (k3_rlvect_2 \\ & X0 X2 = k6_domain_1 (u1_struct_0 X0) X1)) \Rightarrow ((k3_funct_2 (u1_struct_0 \\ & X0) k1_numbers X2 X1 = np_1) \wedge (k6_rlvect_2 X0 X2 = k1_rlvect_1 X0 \\ & X1 (k3_funct_2 (u1_struct_0 X0) k1_numbers X2 X1)))))) \quad (2) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlvect_2 X1 X0) \Rightarrow (\neg(v1_circled1 \\ X1 X0) \wedge (k3_rlvect_2 X0 X1 = k1_xboole_0))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2. \\ (m2_rlvect_2 X2 X0 X1) \Rightarrow (m1_rlvect_2 X2 X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ (m1_rlvect_2 X2 X0) \Rightarrow ((m2_rlvect_2 X2 X0 X1) \Leftrightarrow (r1_tarski (k3_rlvect_2 \\ X0 X2) X1)))) \end{aligned} \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2. (m2_rlvect_2 X2 X0 (k6_domain_1 (u1_struct_0 X0) X1)) \Rightarrow \\ & ((v1_circled1 X2 X0) \Rightarrow ((k3_funct_2 (u1_struct_0 X0) k1_numbers \\ & X2 X1 = np_1) \wedge (k6_rlvect_2 X0 X2 = k1_rlvect_1 X0 X1 (k3_funct_2 \\ & (u1_struct_0 X0) k1_numbers X2 X1)))))) \end{aligned}$$