

t24_csspace (TM- MJoT4UTqNBMq4ssKze4YyJkqGgLZAaa9R)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k12_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (\\ & u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow \\ & (k12_csspace X0 (k4_algstr_0 X0 X1) X2 = k4_xcmplx_0 (k12_csspace \\ & X0 X1 X2)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (\\ & u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow \\ & (k12_csspace X0 (k4_algstr_0 X0 X1) X2 = k12_csspace X0 X1 (k4_algstr_0 \\ & X0 X2)))))) \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ &X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v2_clvect_1 X0) \wedge \\ &((v3_clvect_1 X0) \wedge (v4_clvect_1 X0) \wedge (v5_clvect_1 X0) \wedge (v2_csspace \\ &X0) \wedge (l1_csspace X0)))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (\\ &u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow \\ &(k12_csspace X0 X1 (k4_algstr_0 X0 X2) = k4_xcmplx_0 (k12_csspace \\ &X0 X1 X2)))))) \end{aligned}$$