

# t24\_pscomp\_1

## (TMYvZXGY3r9aDhaUtJyfatP5MchRAxj6RZJ)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k15\_euclid : \iota \Rightarrow \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v2\_compts\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k17\_euclid : \iota \Rightarrow \iota$  be given. Let  $k8\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k9\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k18\_euclid : \iota \Rightarrow \iota$  be given. Let  $k7\_pscomp\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_pscomp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_pscomp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_pscomp\_1 : \iota$  be given. Let  $k2\_pscomp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_pscomp\_1 : \iota$  be given. Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2))) \Rightarrow \\
& (\forall X1.((\neg v1\_xboole\_0 X1) \wedge ((v2\_compts\_1 X1 (k15\_euclid \\
& np\_2)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid \\
& np\_2)))))) \Rightarrow ((X0 \in X1) \Rightarrow ((r1\_xxreal\_0 (k1\_pscomp\_1 (k1\_pre\_topc \\
& (k15\_euclid np\_2) X1) (k3\_pscomp\_1 (k15\_euclid np\_2) k4\_pscomp\_1 \\
& X1)) (k17\_euclid X0)) \wedge ((r1\_xxreal\_0 (k17\_euclid X0) (k2\_pscomp\_1 \\
& (k1\_pre\_topc (k15\_euclid np\_2) X1) (k3\_pscomp\_1 (k15\_euclid \\
& np\_2) k4\_pscomp\_1 X1))) \wedge ((r1\_xxreal\_0 (k1\_pscomp\_1 (k1\_pre\_topc \\
& (k15\_euclid np\_2) X1) (k3\_pscomp\_1 (k15\_euclid np\_2) k5\_pscomp\_1 \\
& X1)) (k18\_euclid X0)) \wedge (r1\_xxreal\_0 (k18\_euclid X0) (k2\_pscomp\_1 \\
& (k1\_pre\_topc (k15\_euclid np\_2) X1) (k3\_pscomp\_1 (k15\_euclid \\
& np\_2) k5\_pscomp\_1 X1))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid \\
& np\_2)))) \Rightarrow (k8\_pscomp\_1 X0 = k2\_pscomp\_1 (k1\_pre\_topc (k15\_euclid \\
& np\_2) X0) (k3\_pscomp\_1 (k15\_euclid np\_2) k4\_pscomp\_1 X0))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid \\
& np\_2)))) \Rightarrow (k7\_pscomp\_1 X0 = k2\_pscomp\_1 (k1\_pre\_topc (k15\_euclid \\
& np\_2) X0) (k3\_pscomp\_1 (k15\_euclid np\_2) k5\_pscomp\_1 X0))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid np\_2)))) \Rightarrow (k6\_pscomp\_1 X0 = k1\_pscomp\_1 (k1\_pre\_topc (k15\_euclid np\_2) X0) (k3\_pscomp\_1 (k15\_euclid np\_2) k4\_pscomp\_1 X0)) \quad (4)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid np\_2)))) \Rightarrow (k9\_pscomp\_1 X0 = k1\_pscomp\_1 (k1\_pre\_topc (k15\_euclid np\_2) X0) (k3\_pscomp\_1 (k15\_euclid np\_2) k5\_pscomp\_1 X0)) \quad (5)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 (u1\_struct\_0 (k15\_euclid np\_2))) \Rightarrow \\ & (\forall X1.((\neg v1\_xboole\_0 X1) \wedge ((v2\_compts\_1 X1 (k15\_euclid np\_2)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 (k15\_euclid np\_2)))))) \Rightarrow ((X0 \in X1) \Rightarrow ((r1\_xxreal\_0 (k6\_pscomp\_1 X1) (k17\_euclid X0)) \wedge ((r1\_xxreal\_0 (k17\_euclid X0) (k8\_pscomp\_1 X1)) \wedge ((r1\_xxreal\_0 (k9\_pscomp\_1 X1) (k18\_euclid X0)) \wedge (r1\_xxreal\_0 (k18\_euclid X0) (k7\_pscomp\_1 X1)))))) \end{aligned}$$