

t24_seq_2

(TMUijuNdzRf33iZGdmEeQXJoyykgtg1kFBz)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_comseq_2 : \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $k2_seq_2 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k52_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k37_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_real_1 : \iota \Rightarrow \iota$ be given. Let $k20_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $k7_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k50_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k35_valued_1 : \iota \Rightarrow \iota$ be given. Let $k1_seq_2 : \iota \Rightarrow \iota$ be given. Let $k18_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_valued_0 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (((v2_comseq_2 X0) \wedge (v2_relat_1 X0)) \Rightarrow ((k2_seq_2 X0 = k6_numbers) \vee \\ & (k2_seq_2 (k37_valued_1 k5_numbers k1_numbers X0) = k2_real_1 \\ & (k2_seq_2 X0)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (((v2_comseq_2 X0) \wedge (v2_relat_1 X0)) \Rightarrow ((k2_seq_2 X0 = k6_numbers) \vee \\ & (v2_comseq_2 (k37_valued_1 k5_numbers k1_numbers X0)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (((v2_comseq_2 X0) \wedge (v2_comseq_2 X1)) \Rightarrow (k2_seq_2 (k20_valued_1 \\
& k5_numbers k1_numbers k1_numbers X0 X1) = k8_real_1 (k2_seq_2 X0) \\
& (k2_seq_2 X1))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xcmplx_0 X0) \wedge (v1_xcmplx_0 X1)) \Rightarrow (k3_xcmplx_0 X0 (k5_xcmplx_0 X1) = k7_xcmplx_0 X0 X1) \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. ((m1_subset_1 X0 k1_numbers) \wedge (v1_xreal_0 X1)) \Rightarrow (k8_real_1 X0 X1 = k3_xcmplx_0 X0 X1) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v3_membered \\
& X1) \wedge ((v3_membered X2) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X2)))))) \Rightarrow (k52_valued_1 X0 X1 X2 X3 X4 = k50_valued_1 \\
& X3 X4)
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v3_membered X1) \wedge ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow (k37_valued_1 X0 X1 X2 = k35_valued_1 X2) \tag{7}$$

Assume the following.

$$\forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow (k2_seq_2 X0 = k1_seq_2 X0) \tag{8}$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (k2_real_1 X0 = k5_xcmplx_0 X0) \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v3_membered \\
& X1) \wedge ((v3_membered X2) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X2)))))) \Rightarrow (k20_valued_1 X0 X1 X2 X3 X4 = k18_valued_1 \\
& X3 X4)
\end{aligned} \tag{10}$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers)\wedge(v1_xreal_0 X1))\Rightarrow(k10_real_1 X0 X1 = k7_xcmplx_0 X0 X1) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v1_xboole_0 X1)\wedge(v3_membered X1))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((v1_funct_1 (k35_valued_1 X2))\wedge(v1_partfun1 (k35_valued_1 X2) X0)) \quad (12)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow((v1_xcmplx_0 (k5_xcmplx_0 X0))\wedge(v1_xreal_0 (k5_xcmplx_0 X0))) \quad (13)$$

Assume the following.

$$v3_membered k1_numbers \quad (14)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v3_membered X1)\wedge((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))\Rightarrow((v1_funct_1 (k37_valued_1 X0 X1 X2))\wedge(m1_subset_1 (k37_valued_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \quad (16)$$

Assume the following.

$$\forall X0.((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge(m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))\Rightarrow(m1_subset_1 (k2_seq_2 X0) k1_numbers) \quad (17)$$

Assume the following.

$$\forall X0.((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge(m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))\Rightarrow(v1_xreal_0 (k1_seq_2 X0)) \quad (18)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_valued_0 X0)))\Rightarrow(\forall X1.((v1_relat_1 X1)\wedge((v1_funct_1 X1)\wedge(v1_valued_0 X1)))\Rightarrow(k50_valued_1 X0 X1 = k18_valued_1 X0 (k35_valued_1 X1))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v3_membered \\ & X1) \wedge ((v3_membered X2) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2)))))) \Rightarrow (k20_valued_1 X0 X1 X2 X3 X4 = k20_valued_1 \\ & X0 X1 X2 X4 X3) \end{aligned} \quad (20)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge (v3_valued_0 X0)) \Rightarrow ((v1_relat_1 X0) \wedge (v1_valued_0 X0)) \quad (21)$$

Assume the following.

$$\forall X0. (v1_xreal_0 X0) \Rightarrow (v1_xcmplx_0 X0) \quad (22)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow ((v1_partfun1 X2 X0) \Rightarrow (v1_funct_2 X2 X0 X1)) \end{aligned} \quad (24)$$

Assume the following.

$$\forall X0. \forall X1. (v3_membered X1) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v3_valued_0 X2)) \quad (25)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (((v2_comseq_2 X0) \wedge ((v2_comseq_2 X1) \wedge (v2_relat_1 X1))) \Rightarrow ((k2_seq_2 \\ & X1 = k6_numbers) \vee (k2_seq_2 (k52_valued_1 k5_numbers k1_numbers \\ & k1_numbers X0 X1) = k10_real_1 (k2_seq_2 X0) (k2_seq_2 X1)))) \end{aligned}$$