

t24_vfunct_1 (TMFJPwSzoydg- PCdr2HMzvjauRoWumAXVodB)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k8_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\
& X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2. ((v1_funct_1 \\
& X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& X1)))))) \Rightarrow (r2_relset_1 X0 (u1_struct_0 X1) (k5_vfunct_1 X0 X1 X2) \\
& (k4_vfunct_1 X0 X1 X2 (k1_real_1 np_1))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ & ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\ & X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\ & ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\ & X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))) \Rightarrow (r2_relset_1 X0 (u1_struct_0 X1) (k4_vfunct_1 X0 X1 X2 \\ & np_1) X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ & ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\ & X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\ & ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\ & X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))) \Rightarrow (\forall X3.(m1_subset_1 X3 k1_numbers) \Rightarrow (\forall X4. \\ & (m1_subset_1 X4 k1_numbers) \Rightarrow (r2_relset_1 X0 (u1_struct_0 X1) \\ & (k4_vfunct_1 X0 X1 X2 (k8_real_1 X3 X4) (k4_vfunct_1 X0 X1 (k4_vfunct_1 \\ & X0 X1 X2 X4) X3)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k3_xcmplx_0 X0 (k4_xcmplx_0 np_1) = k4_xcmplx_0 X0) \quad (4)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (5)$$

Assume the following.

$$k4_xcmplx_0 (k4_xcmplx_0 np_1) = np_1 \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \Rightarrow ((r2_relset_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers) \wedge (v1_xreal_0 X1)) \Rightarrow (k8_real_1 X0 X1 = k3_xcmplx_0 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (k1_real_1 X0 = k4_xcmplx_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow ((v1_xcmplx_0 (k4_xcmplx_0 X0)) \wedge (v1_xreal_0 (k4_xcmplx_0 X0))) \quad (10)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge (((\neg v2_struct_0 \\ & X1) \wedge (l2_algstr_0 X1)) \wedge ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 (u1_struct_0 X1))))))) \Rightarrow ((v1_funct_1 (k5_vfunct_1 \\ & X0 X1 X2)) \wedge (m1_subset_1 (k5_vfunct_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 (u1_struct_0 X1)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((\neg v2_struct_0 X1) \wedge (l1_rlvect_1 X1)) \wedge (((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \wedge (m1_subset_1 \\ & X3 k1_numbers)))) \Rightarrow ((v1_funct_1 (k4_vfunct_1 X0 X1 X2 X3)) \wedge (m1_subset_1 \\ & (k4_vfunct_1 X0 X1 X2 X3) (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (m1_subset_1 (k1_real_1 X0) k1_numbers) \quad (15)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge \\ & ((v13_algstr_0 X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 \\ & X1) \wedge (v5_rlvect_1 X1) \wedge (v6_rlvect_1 X1) \wedge (v7_rlvect_1 X1) \wedge \\ & ((v8_rlvect_1 X1) \wedge (v3_normsp_0 X1) \wedge (v4_normsp_0 X1) \wedge (v2_normsp_1 \\ & X1) \wedge (l1_normsp_1 X1)))))) \Rightarrow (\forall X2. ((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))))) \Rightarrow (r2_relset_1 X0 (u1_struct_0 X1) (k5_vfunct_1 X0 X1 (k5_vfunct_1 \\ & X0 X1 X2)) X2)) \end{aligned}$$