

t25_algspec1

(TMU9xsV9ftVL4duUgtLdxgYVxadXGwj74x3)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $m1_algspec1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_funct_1 : \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_relat_1 : \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_partfun1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow \\ ((k3_relat_1 X0 (k2_funct_1 X0) = k4_relat_1 (k9_xtuple_0 X0)) \wedge \\ (k3_relat_1 (k2_funct_1 X0) X0 = k4_relat_1 (k10_xtuple_0 X0)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow \\ (\forall X1.((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow ((X1 = k2_funct_1 \\ X0) \Leftrightarrow ((k9_xtuple_0 X1 = k10_xtuple_0 X0) \wedge (\forall X2. \forall X3. \\ (((X2 \in k10_xtuple_0 X0) \wedge (X3 = k1_funct_1 X1 X2)) \Rightarrow ((X3 \in k9_xtuple_0 \\ X0) \wedge (X2 = k1_funct_1 X0 X3))) \wedge (((X3 \in k9_xtuple_0 X0) \wedge (X2 = k1_funct_1 \\ X0 X3)) \Rightarrow ((X2 \in k10_xtuple_0 X0) \wedge (X3 = k1_funct_1 X1 X2)))))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. k6_partfun1 X0 = k4_relat_1 X0 \quad (3)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v1_relat_1 (k2_funct_1 X0)) \wedge (v1_funct_1 (k2_funct_1 X0))) \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1.((\\ v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow ((m1_algspec1 X1 X0) \Leftrightarrow ((k9_xtuple_0 \\ X1 = k10_xtuple_0 X0) \wedge (k3_relat_1 X1 X0 = k6_partfun1 (k10_xtuple_0 \\ X0)))))) \end{aligned} \quad (5)$$

Theorem 1

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow (m1_algspec1 (k2_funct_1 X0) X0))$$