

t25_fintopo3
(TMLqHL3Rc9J6JdtDFqQ8JjszHN9Apb5h6Tt)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k9_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 k5_numbers) \Rightarrow (k3_fintopo3 X0 X1 (k2_nat_1 X2 np_1) = \\ & k9_fin_topo X0 (k3_fintopo3 X0 X1 X2)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge (l1_orders_2 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow (r1_tarski X1 (k9_fin_topo X0 X1))) \end{aligned} \tag{2}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (l1_orders_2 \\ & X0)) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \wedge (v7_ordinal1 \\ & X2))) \Rightarrow (m1_subset_1 (k3_fintopo3 X0 X1 X2) (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \end{aligned} \tag{4}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \tag{5}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v3_orders_2 \\ & X0) \Rightarrow (\forall X2.(m1_subset_1 X2 k5_numbers) \Rightarrow (r1_tarski (k3_fintopo3 \\ & X0 X1 X2) (k3_fintopo3 X0 X1 (k2_nat_1 X2 np_1)))))) \end{aligned}$$