

t25_matrix_5 (TM-
LeUDT45FfkTi4edHwKwp5xcPYgW2MVhAc)

October 27, 2020

Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k2_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k7_matrix_5 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_matrix_5 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_complfld : \iota$ be given. Let $k5_complex1 : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v36_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_vectsp_1 : \iota \Rightarrow o$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_matrix_5 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_5 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k27_binop_2 : \iota$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k29_binop_2 : \iota$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_complex1 : \iota$ be given. Assume the following.

$$k4_struct_0 \ k1_complfld = k5_complex1 \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\ & (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\ & X0)))) \Rightarrow ((\neg r1_xreal_0 (k3_finseq_1 X1) k6_numbers) \Rightarrow (k6_matrix_3 \\ & X0 X1 (k4_struct_0 X0) = k1_matrix_3 X0 (k3_finseq_1 X1) (k1_matrix_1 \\ & X1)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{4}$$

Assume the following.

$$k6_numbers = k1_xboole_0 \tag{5}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{6}$$

Assume the following.

$$k5_complex1 = k1_xboole_0 \tag{7}$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \tag{8}$$

Assume the following.

$$\begin{aligned} & (\neg v6_struct_0 k1_complfld) \wedge ((v13_algstr_0 k1_complfld) \wedge ((\\ & v33_algstr_0 k1_complfld) \wedge ((v36_algstr_0 k1_complfld) \wedge ((v3_group_1 \\ & k1_complfld) \wedge ((v5_group_1 k1_complfld) \wedge ((v3_vectsp_1 k1_complfld) \wedge \\ & ((v5_vectsp_1 k1_complfld) \wedge ((v6_vectsp_1 k1_complfld) \wedge ((v2_rlvect_1 \\ & k1_complfld) \wedge ((v3_rlvect_1 k1_complfld) \wedge (v4_rlvect_1 k1_complfld)))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$(v36_algstr_0 k1_complfld) \wedge (v4_vectsp_1 k1_complfld) \tag{10}$$

Assume the following.

$$\neg v1_xboole_0 \ k1_numbers \quad (11)$$

Assume the following.

$$(\neg v2_struct_0 \ k1_complfld) \wedge (v36_algstr_0 \ k1_complfld) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 \ X1 \ X0) \Rightarrow ((v1_funct_1 \ X1) \wedge (v1_finseq_1 \ X1) \wedge (m1_subset_1 \ X1 \ (k1_zfmisc_1 \ (k2_zfmisc_1 \ k5_numbers \ X0)))) \quad (13)$$

Assume the following.

$$\forall X0. \forall X1. (m1_finseq_1 \ X1 \ X0) \Rightarrow ((v1_relat_1 \ X1) \wedge (v1_funct_1 \ X1) \wedge (v1_finseq_1 \ X1)) \quad (14)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xcmplx_0 \ X0) \wedge ((v1_matrix_1 \ X1) \wedge (m1_finseq_1 \ X1 \ (k3_finseq_2 \ k2_numbers)))) \Rightarrow ((v1_matrix_1 \ (k7_matrix_5 \ X0 \ X1)) \wedge (m2_finseq_1 \ (k7_matrix_5 \ X0 \ X1) \ (k3_finseq_2 \ k2_numbers))) \quad (15)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (16)$$

Assume the following.

$$m1_subset_1 \ k5_complex1 \ k2_numbers \quad (17)$$

Assume the following.

$$\forall X0. ((v1_relat_1 \ X0) \wedge ((v1_funct_1 \ X0) \wedge (v1_finseq_1 \ X0))) \Rightarrow (m2_subset_1 \ (k3_finseq_1 \ X0) \ k1_numbers \ k5_numbers) \quad (18)$$

Assume the following.

$$\forall X0. ((v1_relat_1 \ X0) \wedge ((v1_funct_1 \ X0) \wedge ((v1_finseq_1 \ X0) \wedge (v1_matrix_1 \ X0)))) \Rightarrow (m1_subset_1 \ (k1_matrix_1 \ X0) \ k5_numbers) \quad (19)$$

Assume the following.

$$(v36_algstr_0 \ k1_complfld) \wedge (l6_algstr_0 \ k1_complfld) \quad (20)$$

Assume the following.

$$\forall X0. (v7_ordinal1 \ X0) \Rightarrow (\forall X1. (v7_ordinal1 \ X1) \Rightarrow (k8_matrix_5 \ X0 \ X1 = k2_matrix_5 \ (k1_matrix_3 \ k1_complfld \ X0 \ X1))) \quad (21)$$

Assume the following.

$$\begin{aligned} \forall X0.(v1_xcmplx_0 X0) \Rightarrow (\forall X1.((v1_matrix_1 X1) \wedge (\\ m2_finseq_1 X1 (k3_finseq_2 k2_numbers))) \Rightarrow (\forall X2.((v1_matrix_1 \\ X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 k2_numbers))) \Rightarrow ((X2 = k7_matrix_5 \\ X0 X1) \Leftrightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 k1_complfld)) \Rightarrow \\ ((X3 = X0) \Rightarrow (X2 = k2_matrix_5 (k6_matrix_3 k1_complfld (k1_matrix_5 \\ X1) X3))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall X0.((v1_matrix_1 X0) \wedge (m2_finseq_1 X0 (k3_finseq_2 k2_numbers))) \Rightarrow (k1_matrix_5 X0 = X0) \quad (23)$$

Assume the following.

$$\begin{aligned} \forall X0.((v36_algstr_0 X0) \wedge (l6_algstr_0 X0)) \Rightarrow ((X0 = k1_complfld) \Leftrightarrow \\ ((u1_struct_0 X0 = k2_numbers) \wedge ((u1_algstr_0 X0 = k27_binop_2) \wedge \\ ((u2_algstr_0 X0 = k29_binop_2) \wedge ((k5_struct_0 X0 = k6_complex1) \wedge \\ (k4_struct_0 X0 = k5_complex1)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (25)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 (u1_struct_0 k1_complfld)) \Rightarrow (v1_xcmplx_0 X0) \quad (26)$$

Theorem 1

$$\begin{aligned} \forall X0.((v1_matrix_1 X0) \wedge (m2_finseq_1 X0 (k3_finseq_2 k2_numbers))) \Rightarrow \\ ((\neg r1_xreal_0 (k3_finseq_1 X0) k6_numbers) \Rightarrow (k7_matrix_5 k6_numbers \\ X0 = k8_matrix_5 (k3_finseq_1 X0) (k1_matrix_1 X0))) \end{aligned}$$