

t25_pencil_4

(TMW2T2gYKHvznmBirx2L3PhFbZ2pHk1StZv)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrlin : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_vectsp_9 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_pencil_1 : \iota \Rightarrow o$ be given. Let $k7_pencil_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k6_pencil_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $g1_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_vectsp_9 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $u1_pre_topc : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\
 & (v7_ordinal1 X2) \Rightarrow (\forall X3. (v7_ordinal1 X3) \Rightarrow (\neg (r1_xxreal_0 X3 (k1_vectsp_9 X0 X1)) \wedge (v1_xboole_0 (k6_pencil_4 X0 X1 X2 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))) \Rightarrow (\forall X2. \forall X3. (g1_pre_topc X0 X1 = g1_pre_topc X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3)))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\ & X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v33_algstr_0 X0) \wedge \\ & ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\ & (l6_algstr_0 X0)))))))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 \\ & X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 \\ & X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 \\ & X1) \wedge ((v4_rlvect_1 X1) \wedge ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \wedge \\ & ((v7_ordinal1 X2) \wedge (v7_ordinal1 X3))) \Rightarrow (m1_subset_1 (k6_pencil_4 \\ & X0 X1 X2 X3) (k1_zfmisc_1 (k1_zfmisc_1 (k2_vectsp_9 X0 X1 X2)))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ & X0))) \Rightarrow ((v1_pre_topc (g1_pre_topc X0 X1)) \wedge (l1_pre_topc (g1_pre_topc \\ & X0 X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. (((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\ & ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\ & X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\ & (v7_ordinal1 X2) \Rightarrow (\forall X3. (v7_ordinal1 X3) \Rightarrow (k7_pencil_4 \\ & X0 X1 X2 X3 = g1_pre_topc (k2_vectsp_9 X0 X1 X2) (k6_pencil_4 X0 X1 \\ & X2 X3)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_pre_topc X0) \Rightarrow ((v3_pencil_1 X0) \Leftrightarrow (v1_xboole_0 \\ & (u1_pre_topc X0))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_pre_topc X0) \Rightarrow ((v1_pre_topc X0) \Rightarrow (X0 = g1_pre_topc \\ & (u1_struct_0 X0) (u1_pre_topc X0))) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge \\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\ & ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\ & X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\ & (v7_ordinal1 X2) \Rightarrow (\forall X3. (v7_ordinal1 X3) \Rightarrow (\neg (r1_xreal_0 \\ & X3 (k1_vectsp_9 X0 X1)) \wedge (v3_pencil_1 (k7_pencil_4 X0 X1 X2 X3)))))) \end{aligned}$$