

t25_real_lat

(TMc4P4A6UPb9N6eWRFwuvqrNWdTv6Aw85vp)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_real_lat : \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_real_lat : \iota \Rightarrow \iota$ be given. Let $k5_real_lat : \iota \Rightarrow \iota$ be given. Let $m2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k9_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funcsdom : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v4_lattices : \iota \Rightarrow o$ be given. Let $l2_lattices : \iota \Rightarrow o$ be given. Let $k3_lattices : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g3_lattices : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_lattices : \iota \Rightarrow o$ be given. Let $v6_lattices : \iota \Rightarrow o$ be given. Let $v7_lattices : \iota \Rightarrow o$ be given. Let $v8_lattices : \iota \Rightarrow o$ be given. Let $v9_lattices : \iota \Rightarrow o$ be given. Let $l3_lattices : \iota \Rightarrow o$ be given. Let $l1_lattices : \iota \Rightarrow o$ be given. Let $v3_lattices : \iota \Rightarrow o$ be given. Let $u2_lattices : \iota \Rightarrow \iota$ be given. Let $u1_lattices : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ (k6_real_lat X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ (k6_real_lat X0))) \Rightarrow (k1_binop_1 (k5_real_lat X0) X1 X2 = k1_binop_1 \\ (k5_real_lat X0) X2 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m2_funct_2 X1 X0 k1_numbers \\ (k9_funct_2 X0 k1_numbers)) \Rightarrow (\forall X2. (m2_funct_2 X2 X0 k1_numbers \\ (k9_funct_2 X0 k1_numbers)) \Rightarrow (r2_funct_2 X0 k1_numbers (k1_funcsdom \\ X0 k1_numbers (k4_real_lat X0) (k1_funcsdom X0 k1_numbers (k5_real_lat \\ X0) X1 X2) X2) X2))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X1)\wedge(m1_funct_2 \\ & X2 X0 X1))\Rightarrow(\forall X3.(m2_funct_2 X3 X0 X1 X2)\Leftrightarrow(m1_subset_1 X3 \\ & X2)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X1)\wedge \\ & ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))\wedge((m1_subset_1 X2 X0)\wedge \\ & (m1_subset_1 X3 X0)))\Rightarrow(k5_binop_1 X0 X1 X2 X3 = k1_binop_1 X1 X2 X3) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v4_lattices \\ & X0)\wedge(l2_lattices X0)))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(\\ & m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k3_lattices X0 X1 X2 = k1_lattices \\ & X0 X1 X2) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 \\ & X1)\wedge(((v1_funct_1 X2)\wedge((v1_funct_2 X2 (k2_zfmisc_1 (k9_funct_2 \\ & X0 X1) (k9_funct_2 X0 X1)) (k9_funct_2 X0 X1))\wedge(m1_subset_1 X2 (\\ & k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (k9_funct_2 X0 X1) (k9_funct_2 \\ & X0 X1)) (k9_funct_2 X0 X1)))))\wedge((m1_subset_1 X3 (k9_funct_2 X0 \\ & X1))\wedge(m1_subset_1 X4 (k9_funct_2 X0 X1))))))\Rightarrow(k1_funcsdom X0 X1 \\ & X2 X3 X4 = k1_binop_1 X2 X3 X4) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_funct_1 X1)\wedge((v1_funct_2 \\ & X1 (k2_zfmisc_1 X0 X0) X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0)))))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 \\ & (k2_zfmisc_1 X0 X0) X0)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 X0 X0) X0))))))\Rightarrow(\forall X3.\forall X4.\forall X5. \\ & (g3_lattices X0 X1 X2 = g3_lattices X3 X4 X5)\Rightarrow((X0 = X3)\wedge((X1 = X4)\wedge \\ & (X2 = X5)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow & ((\neg v2_struct_0 (k6_real_lat X0)) \wedge \\ & ((v4_lattices (k6_real_lat X0)) \wedge ((v5_lattices (k6_real_lat \\ X0)) \wedge ((v6_lattices (k6_real_lat X0)) \wedge ((v7_lattices (k6_real_lat \\ X0)) \wedge ((v8_lattices (k6_real_lat X0)) \wedge (v9_lattices (k6_real_lat \\ X0)))))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X1) \wedge (m1_funct_2 \\ X2 X0 X1)) \Rightarrow (\forall X3.(m2_funct_2 X3 X0 X1 X2) \Rightarrow ((v1_funct_1 X3) \wedge \\ ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ X0 X1)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(l3_lattices X0) \Rightarrow ((l1_lattices X0) \wedge (l2_lattices X0)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v1_xboole_0 X1) \Rightarrow (m1_funct_2 (k9_funct_2 \\ X0 X1) X0 X1) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow & ((\neg v2_struct_0 (k6_real_lat X0)) \wedge \\ & ((v3_lattices (k6_real_lat X0)) \wedge (l3_lattices (k6_real_lat X0)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow & ((v1_funct_1 (k5_real_lat X0)) \wedge \\ & ((v1_funct_2 (k5_real_lat X0) (k2_zfmisc_1 (k9_funct_2 X0 k1_numbers) \\ (k9_funct_2 X0 k1_numbers)) (k9_funct_2 X0 k1_numbers)) \wedge (m1_subset_1 \\ (k5_real_lat X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (k9_funct_2 \\ X0 k1_numbers) (k9_funct_2 X0 k1_numbers)) (k9_funct_2 X0 k1_numbers)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X1) \wedge \\ ((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \wedge ((m1_subset_1 X2 X0) \wedge \\ (m1_subset_1 X3 X0))) \Rightarrow (m1_subset_1 (k5_binop_1 X0 X1 X2 X3) X0) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow & ((v1_funct_1 (k4_real_lat X0)) \wedge \\ & ((v1_funct_2 (k4_real_lat X0) (k2_zfmisc_1 (k9_funct_2 X0 k1_numbers) \\ & (k9_funct_2 X0 k1_numbers)) (k9_funct_2 X0 k1_numbers)) \wedge (m1_subset_1 \\ & (k4_real_lat X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (k9_funct_2 \\ & X0 k1_numbers) (k9_funct_2 X0 k1_numbers)) (k9_funct_2 X0 k1_numbers)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 \\ X1) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (k2_zfmisc_1 (k9_funct_2 \\ X0 X1) (k9_funct_2 X0 X1)) (k9_funct_2 X0 X1)) \wedge (m1_subset_1 X2 (\\ k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (k9_funct_2 X0 X1) (k9_funct_2 \\ X0 X1) (k9_funct_2 X0 X1)))))) \wedge ((m1_subset_1 X3 (k9_funct_2 X0 \\ X1)) \wedge (m1_subset_1 X4 (k9_funct_2 X0 X1)))))) \Rightarrow (m2_funct_2 (k1_funct_2 \\ X0 X1 X2 X3 X4) X0 X1 (k9_funct_2 X0 X1)) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0) \Rightarrow (k6_real_lat X0 = g3_lattices (k9_funct_2 X0 k1_numbers) (k4_real_lat X0) (k5_real_lat X0)) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_lattices X0)) \Rightarrow & (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ & (u1_struct_0 X0)) \Rightarrow (k1_lattices X0 X1 X2 = k5_binop_1 (u1_struct_0 \\ & X0) (u2_lattices X0) X1 X2))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v4_lattices \\ X0) \wedge (l2_lattices X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (\\ m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (k3_lattices X0 X1 X2 = k3_lattices \\ X0 X2 X1) \end{aligned} \quad (21)$$

Assume the following.

$$\forall X0.(l3_lattices X0) \Rightarrow ((v3_lattices X0) \Rightarrow (X0 = g3_lattices (u1_struct_0 X0) (u2_lattices X0) (u1_lattices X0))) \quad (22)$$

Theorem 1

$$\begin{aligned} \forall X0.(\neg v1_xboole_0 X0) \Rightarrow & (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & (k6_real_lat X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & (k6_real_lat X0))) \Rightarrow ((k1_binop_1 (k4_real_lat X0) (k1_binop_1 \\ & (k5_real_lat X0) X1 X2) X2 = X2) \wedge ((k1_binop_1 (k4_real_lat X0) X2 \\ & (k1_binop_1 (k5_real_lat X0) X1 X2) = X2) \wedge ((k1_binop_1 (k4_real_lat \\ & X0) X2 (k1_binop_1 (k5_real_lat X0) X2 X1) = X2) \wedge (k1_binop_1 (k4_real_lat \\ & X0) (k1_binop_1 (k5_real_lat X0) X2 X1) X2 = X2)))))) \end{aligned}$$