

t25_rmod_4 (TM- PdZGTy9M75VKaCEwBCvPtYWakoSKtUvrz)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k12_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vectsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k9_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1))) \Rightarrow ((X1 = k9_finseq_1 X0) \Leftrightarrow ((k3_finseq_1 X1 = np_1) \wedge (k1_funct_1 \\ & X1 np_1 = X0))) \end{aligned} \tag{1}$$

Assume the following.

$$(k2_finseq_1 np_1 = k1_tarski np_1) \wedge (k2_finseq_1 np_2 = k2_tarski np_1 np_2) \tag{2}$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 X0) \Rightarrow (k7_partfun1 X0 (k12_finseq_1 X0 X1) np_1 = X1)) \quad (3)$$

Assume the following.

$$((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (5)$$

Assume the following.

$$\forall X0.k9_finseq_1 X0 = k5_finseq_1 X0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k12_finseq_1 X0 X1 = k5_finseq_1 X1) \quad (8)$$

Assume the following.

$$\forall X0.v1_finseq_1 (k5_finseq_1 X0) \quad (9)$$

Assume the following.

$$\forall X0.(v1_relat_1 (k5_finseq_1 X0)) \wedge (v1_funct_1 (k5_finseq_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Rightarrow ((v1_funct_1 X1) \wedge (v1_finseq_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))) \quad (12)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_2 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0) \wedge (l1_struct_0 X0)) \wedge (((\neg v2_struct_0 X1) \wedge (l1_vectsp_2 X1 X0)) \wedge \\ & ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (u1_struct_0 \\ & X1)))))) \Rightarrow (m1_subset_1 (k5_vectsp_2 X0 X1 X2 X3) (u1_struct_0 X1)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 \\ & X0) \wedge (l6_algstr_0 X0)))))))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 \\ & X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & ((v4_vectsp_2 X1 X0) \wedge (l1_vectsp_2 X1 X0)))))))))) \wedge ((m1_finseq_1 \\ & X2 (u1_struct_0 X1)) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 \\ & X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X0)))))))))) \Rightarrow (m2_finseq_1 (k4_rmod_4 \\ & X0 X1 X2 X3) (u1_struct_0 X1)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (m2_finseq_1 (k12_finseq_1 X0 X1) X0) \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0)))))))))) \Rightarrow (\forall X2.(m2_finseq_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 \\
& X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\forall X4.(m2_finseq_1 \\
& X4 (u1_struct_0 X1)) \Rightarrow ((X4 = k4_rmod_4 X0 X1 X2 X3) \Leftrightarrow ((k3_finseq_1 \\
& X4 = k3_finseq_1 X2) \wedge (\forall X5.(v7_ordinal1 X5) \Rightarrow ((X5 \in k9_xtuple_0 \\
& X4) \Rightarrow (k1_funct_1 X4 X5 = k5_vectsp_2 X0 X1 (k3_funct_2 (u1_struct_0 \\
& X1) (u1_struct_0 X0) X3 (k7_partfun1 (u1_struct_0 X1) X2 X5)) (k7_partfun1 \\
& (u1_struct_0 X1) X2 X5))))))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\
& (\forall X1.(m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow ((X1 = k3_finseq_1 \\
& X0) \Leftrightarrow (k2_finseq_1 X1 = k9_xtuple_0 X0)))
\end{aligned} \tag{22}$$

Assume the following.

$$\forall X0. \forall X1. (X1 = k1_tarski X0) \Leftrightarrow (\forall X2. (X2 \in X1) \Leftrightarrow (X2 = X0)) \tag{23}$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \tag{24}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{25}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 \\
& X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (k4_rmod_4 X0 X1 (k12_finseq_1 \\
& (u1_struct_0 X1) X2) X3 = k12_finseq_1 (u1_struct_0 X1) (k5_vectsp_2 \\
& X0 X1 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X3 X2) X2))))))
\end{aligned}$$