

t25_waybel10

(TMN8VTz7QRkr6diX7Qy3ToaWA7HYoLPxV4a)

October 27, 2020

Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_lattice3 : \iota \Rightarrow o$ be given. Let $v2_lattice3 : \iota \Rightarrow o$ be given. Let $v3_lattice3 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v7_waybel_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v22_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_waybel_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_yellow_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_waybel10 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $k5_yellow_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ & (l1_orders_2 X0)))))) \Rightarrow (\forall X1.((v4_yellow_0 X1 X0) \wedge ((v7_yellow_0 \\ & X1 X0) \wedge (m1_yellow_0 X1 X0))) \Rightarrow ((v22_waybel_0 (k6_waybel10 X0 X1) \\ & X0 X0) \Leftrightarrow (v4_waybel_0 X1 X0))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ & (l1_orders_2 X0)))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge ((v7_waybel_1 X1 X0) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow \\ & (r2_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) (k6_waybel10 X0 \\ & (k1_yellow_2 X0 X0 X1)) X1)) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1))))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v3_orders_2 X0)\wedge \\ & ((v4_orders_2 X0)\wedge((v5_orders_2 X0)\wedge(l1_orders_2 X0))))))\wedge(\\ & (v1_funct_1 X1)\wedge((v1_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0))\wedge((v7_waybel_1 X1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X0))))))\Rightarrow((v1_orders_2 (k1_yellow_2 \\ & X0 X0 X1))\wedge((v4_yellow_0 (k1_yellow_2 X0 X0 X1) X0)\wedge(v7_yellow_0 \\ & (k1_yellow_2 X0 X0 X1) X0))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\wedge \\ & (m1_yellow_0 X1 X0))\Rightarrow((v1_funct_1 (k6_waybel10 X0 X1))\wedge((v1_funct_2 \\ & (k6_waybel10 X0 X1) (u1_struct_0 X0) (u1_struct_0 X0))\wedge(m1_subset_1 \\ & (k6_waybel10 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) \\ & (u1_struct_0 X0)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((l1_orders_2 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))))\Rightarrow((v1_orders_2 (k5_yellow_0 X0 X1))\wedge((v4_yellow_0 \\ & (k5_yellow_0 X0 X1) X0)\wedge(m1_yellow_0 (k5_yellow_0 X0 X1) X0))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(\\ & m1_subset_1 (k2_relset_1 X0 X1) (k1_zfmisc_1 X0)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & ((\neg v2_struct_0 X1)\wedge(l1_orders_2 X1))\Rightarrow(\forall X2.((v1_funct_1 \\ & X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow \\ & (k1_yellow_2 X0 X1 X2 = k5_yellow_0 X1 (k2_relset_1 (u1_struct_0 \\ & X1) X2)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow ((v2_lattice3 X0) \Rightarrow (\neg v2_struct_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ & X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ & (l1_orders_2 X0)))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\ & X1 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge ((v7_waybel_1 X1 X0) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow \\ & ((v22_waybel_0 X1 X0 X0) \Leftrightarrow (v4_waybel_0 (k1_yellow_2 X0 X0 X1) X0))) \end{aligned}$$