

t26_altcat_3

(TML5FGeX3qdXaDhP1RVX154JQNSTr4mhX5i)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_altcat_1 : \iota \Rightarrow o$ be given. Let $v11_altcat_1 : \iota \Rightarrow o$ be given. Let $v12_altcat_1 : \iota \Rightarrow o$ be given. Let $l2_altcat_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v6_altcat_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v3_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_zfmisc_1 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_altcat_1 : \iota \Rightarrow o$ be given. Let $k8_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\ & X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1. (m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\neg (k1_altcat_1 X0 X1 X2 \neq k1_xboole_0) \wedge ((k1_altcat_1 X0 X2 \\ & X1 \neq k1_xboole_0) \wedge (\neg \forall X3. (m1_subset_1 X3 (k1_altcat_1 X0 \\ & X1 X2)) \Rightarrow ((v3_altcat_3 X3 X0 X1 X2) \Leftrightarrow ((v1_altcat_3 X3 X0 X1 X2) \wedge (v2_altcat_3 \\ & X3 X0 X1 X2)))))))))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \tag{3}$$

Assume the following.

$$\forall X0. \neg (\neg v1_xboole_0 X0) \wedge ((v1_zfmisc_1 X0) \wedge (\forall X1. X0 \neq k1_tarski X1)) \tag{4}$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \tag{5}$$

Assume the following.

$$\forall X0.(l2_altcat_1 X0) \Rightarrow (l1_altcat_1 X0) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((v12_altcat_1 X0) \wedge \\ & (l2_altcat_1 X0))) \wedge (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (m1_subset_1 \\ & (k8_altcat_1 X0 X1) (k1_altcat_1 X0 X1 X1)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((\neg v2_struct_0 X0) \wedge (l2_altcat_1 X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 \\ & X0)) \wedge ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge ((m1_subset_1 X3 (u1_struct_0 \\ & X0)) \wedge ((m1_subset_1 X4 (k1_altcat_1 X0 X1 X2)) \wedge (m1_subset_1 X5 \\ & (k1_altcat_1 X0 X2 X3))))))) \Rightarrow (m1_subset_1 (k5_altcat_1 X0 X1 X2 \\ & X3 X4 X5) (k1_altcat_1 X0 X1 X3)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_altcat_1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow ((v6_altcat_3 X1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\exists X3.(m1_subset_1 X3 (k1_altcat_1 X0 X1 X2)) \wedge ((X3 \in \\ & k1_altcat_1 X0 X1 X2) \wedge (v1_zfmisc_1 (k1_altcat_1 X0 X1 X2))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\ & X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow ((r2_altcat_3 X0 X1 X2) \Leftrightarrow ((k1_altcat_1 X0 X1 X2 \neq k1_xboole_0) \wedge \\ & ((k1_altcat_1 X0 X2 X1 \neq k1_xboole_0) \wedge (\exists X3.(m1_subset_1 \\ & X3 (k1_altcat_1 X0 X1 X2)) \wedge (v3_altcat_3 X3 X0 X1 X2))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (k1_altcat_1 X0 X1 X2)) \Rightarrow ((v2_altcat_3 X3 X0 X1 X2) \Leftrightarrow (\exists X4. \\ & (m1_subset_1 X4 (k1_altcat_1 X0 X2 X1)) \wedge (r1_altcat_3 X0 X2 X1 X4 \\ & X3)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (k1_altcat_1 X0 X1 X2)) \Rightarrow ((v1_altcat_3 X3 X0 X1 X2) \Leftrightarrow (\exists X4. \\
& (m1_subset_1 X4 (k1_altcat_1 X0 X2 X1)) \wedge (r1_altcat_3 X0 X1 X2 X3 \\
& X4))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\forall X0. \forall X1. (X1 = k1_tarski X0) \Leftrightarrow (\forall X2. (X2 \in X1) \Leftrightarrow (X2 = X0)) \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (k1_altcat_1 X0 X1 X2)) \Rightarrow (\forall X4.(m1_subset_1 X4 (k1_altcat_1 \\
& X0 X2 X1)) \Rightarrow ((r1_altcat_3 X0 X1 X2 X3 X4) \Leftrightarrow (k5_altcat_1 X0 X2 X1 X2 X4 \\
& X3 = k8_altcat_1 X0 X2))))))
\end{aligned} \tag{14}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\
& X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\
& X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow (((v6_altcat_3 X1 X0) \wedge (v6_altcat_3 X2 X0)) \Rightarrow (r2_altcat_3 \\
& X0 X1 X2))))
\end{aligned}$$