

t26_bhsp_2

(TMQzriQsLwtbd9d3Hw3mQRBf2uMZyuKUWXW)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_comseq_2 : \iota \Rightarrow o$ be given. Let $k2_bhsp_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_seq_2 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k6_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
 & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
 & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
 & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
 & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
 & (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
 & X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
 & X0)))))) \Rightarrow (((v1_bhsp_2 X1 X0) \wedge (v1_bhsp_2 X2 X0)) \Rightarrow (v1_bhsp_2 (\\
 & k2_normsp_1 X0 X1 X2) X0))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhs_p_1 \\
& X0) \wedge (l1_bhs_p_1 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v1_bhs_p_2 X2 X0) \wedge (k1_bhs_p_2 \\
& X0 X2 = X1)) \Rightarrow ((v2_comseq_2 (k2_bhs_p_2 X0 (k4_normsp_1 X0 X2 X1)) \wedge \\
& (k2_seq_2 (k2_bhs_p_2 X0 (k4_normsp_1 X0 X2 X1)) = k6_numbers))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhs_p_1 \\
& X0) \wedge (l1_bhs_p_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (((v1_bhs_p_2 X1 X0) \wedge (v1_bhs_p_2 X2 X0)) \Rightarrow (k1_bhs_p_2 X0 \\
& (k2_normsp_1 X0 X1 X2) = k3_rlvect_1 X0 (k1_bhs_p_2 X0 X1) (k1_bhs_p_2 \\
& X0 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\
& X0) \wedge ((v2_bhs_p_1 X0) \wedge (l1_bhs_p_1 X0)))))))))) \wedge (((v1_funct_1 \\
& X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \wedge \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (k6_bhs_p_1 X0 X1 X2 = k2_normsp_1 X0 X1 X2)
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 \\
& X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge \\
& ((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 \\
& X0)\wedge((v2_bhsp_1 X0)\wedge(l1_bhsp_1 X0))))))))))\wedge(((v1_funct_1 \\
& X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\wedge \\
& ((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers (u1_struct_0 X0))\wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0))))))\Rightarrow((v1_funct_1 (k6_bhsp_1 X0 X1 X2)\wedge((v1_funct_2 (\\
& k6_bhsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 \\
& (k6_bhsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge \\
& ((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 \\
& X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge \\
& ((v2_bhsp_1 X0)\wedge(l1_bhsp_1 X0))))))))))\wedge((v1_funct_1 X1)\wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\Rightarrow \\
& (m1_subset_1 (k1_bhsp_2 X0 X1) (u1_struct_0 X0))
\end{aligned} \tag{6}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\
& X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\
& ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v2_bhsp_1 \\
& X0)\wedge(l1_bhsp_1 X0))))))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3. \\
& ((v1_funct_1 X3)\wedge((v1_funct_2 X3 k5_numbers (u1_struct_0 X0))\wedge \\
& (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0))))))\Rightarrow(\forall X4.((v1_funct_1 X4)\wedge((v1_funct_2 X4 k5_numbers \\
& (u1_struct_0 X0))\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0))))))\Rightarrow(((v1_bhsp_2 X3 X0)\wedge((k1_bhsp_2 \\
& X0 X3 = X1)\wedge((v1_bhsp_2 X4 X0)\wedge(k1_bhsp_2 X0 X4 = X2))))\Rightarrow((v2_comseq_2 \\
& (k2_bhsp_2 X0 (k4_normsp_1 X0 (k2_normsp_1 X0 X3 X4) (k3_rlvect_1 \\
& X0 X1 X2))))\wedge(k2_seq_2 (k2_bhsp_2 X0 (k4_normsp_1 X0 (k2_normsp_1 \\
& X0 X3 X4) (k3_rlvect_1 X0 X1 X2))) = k6_numbers))))))
\end{aligned}$$