

t26_grnilp_1 (TMFALtcDkMvzMsy- DEXim3wQjL2dQvPNa2yY)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_group_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_grsolv_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 \\
& X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 \\
& X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (\\
& l3_algstr_0 X1)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (\\
& m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X1)))))) \Rightarrow (\forall X3.((v15_algstr_0 X3) \wedge (m1_group_2 X3 X0)) \Rightarrow \\
& (u1_struct_0 (k2_grsolv_1 X0 X1 X2 X3) = k7_relset_1 (u1_struct_0 \\
& X0) (u1_struct_0 X1) X2 (u1_struct_0 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (m1_group_2 X0 X0) \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 \\
& X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 \\
& X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (\\
& l3_algstr_0 X1)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (\\
& m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X1)))))) \Rightarrow (\forall X3.((v15_algstr_0 X3) \wedge (m1_group_2 X3 X0)) \Rightarrow \\
& (\forall X4.((v15_algstr_0 X4) \wedge (m1_group_2 X4 X0)) \Rightarrow (((v15_algstr_0 \\
& X3) \wedge ((v1_group_3 X3 X4) \wedge (m1_group_6 X3 X0 X4))) \Rightarrow ((v15_algstr_0 \\
& (k2_grsolv_1 X0 X1 X2 X3)) \wedge ((v1_group_3 (k2_grsolv_1 X0 X1 X2 X3) \\
& (k2_grsolv_1 X0 X1 X2 X4)) \wedge (m1_group_6 (k2_grsolv_1 X0 X1 X2 X3) \\
& X1 (k2_grsolv_1 X0 X1 X2 X4)))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 \\
& X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 \\
& X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (\\
& l3_algstr_0 X1)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (\\
& m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X1)))))) \Rightarrow (\forall X3.((v15_algstr_0 X3) \wedge (m1_group_2 X3 X0)) \Rightarrow \\
& ((v15_algstr_0 (k2_grsolv_1 X0 X1 X2 X3)) \wedge (m1_group_6 (k2_grsolv_1 \\
& X0 X1 X2 X3) X1 (k10_group_6 X0 X1 X2))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge \\
& ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge (m1_group_2 X1 X0)) \Rightarrow (\forall X2. \\
& (m1_group_6 X2 X0 X1) \Leftrightarrow (m1_group_2 X2 X1))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (\\
& k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 \\
& X2 X3)
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\
& X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
& l3_algstr_0 X0)))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v15_algstr_0 X1) \wedge \\
& ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))))) \wedge (((\\
& v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 \\
& X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \wedge (m1_group_2 X3 X0))) \Rightarrow \\
& ((v15_algstr_0 (k2_grsolv_1 X0 X1 X2 X3)) \wedge (m1_group_2 (k2_grsolv_1 \\
& X0 X1 X2 X3) X1))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\
& X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1. (((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\
& X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))))) \Rightarrow (\forall X2. ((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 \\
& X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3. ((v15_algstr_0 X3) \wedge (\\
& m1_group_2 X3 X1)) \Rightarrow ((X3 = k10_group_6 X0 X1 X2) \Leftrightarrow (u1_struct_0 X3 = \\
& k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 (u1_struct_0 \\
& X0))))))
\end{aligned} \tag{8}$$

Theorem 1

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 \\
& X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))))) \Rightarrow (\forall X1. (((\neg v2_struct_0 \\
& X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (\\
& l3_algstr_0 X1)))))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge (\\
& m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X1)))))) \Rightarrow (\forall X3. ((v15_algstr_0 X3) \wedge ((v1_group_3 X3 X0) \wedge \\
& (m1_group_2 X3 X0)) \Rightarrow ((v15_algstr_0 (k2_grsolv_1 X0 X1 X2 X3)) \wedge \\
& ((v1_group_3 (k2_grsolv_1 X0 X1 X2 X3) (k10_group_6 X0 X1 X2)) \wedge (\\
& m1_group_6 (k2_grsolv_1 X0 X1 X2 X3) X1 (k10_group_6 X0 X1 X2))))))
\end{aligned}$$