

t26_group_1
(TMULsVGz9uMeYcjL2xer3sVQyRGM6a9dRka)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_group_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $np_0 : \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k4_group_1 : \iota \Rightarrow \iota$ be given. Let $k1_group_1 : \iota \Rightarrow \iota$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_group_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (2)$$

Assume the following.

$$(m2_subset_1 np_0 k1_numbers k5_numbers) \wedge ((m1_subset_1 np_0 k5_numbers) \wedge (m1_subset_1 np_0 k1_numbers)) \quad (3)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (4)$$

Assume the following.

$$k2_xcmplx_0 np_1 np_0 = np_1 \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k2_nat_1 X0 X1 = k2_xcmplx_0 X0 X1) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & ((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(((v1_funct_1 X3)\wedge(\\ & v1_funct_2 X3 (k2_zfmisc_1 X0 X1) X2)\wedge(m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X1) X2))))))\wedge((m1_subset_1 X4 X0)\wedge \\ & (m1_subset_1 X5 X1))))\Rightarrow(k2_binop_1 X0 X1 X2 X3 X4 X5 = k1_binop_1 \\ & X3 X4 X5) \end{aligned} \quad (9)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l3_algstr_0 X0))\Rightarrow((v1_funct_1 \\ & (k4_group_1 X0))\wedge((v1_funct_2 (k4_group_1 X0) (k2_zfmisc_1 (\\ & u1_struct_0 X0) k5_numbers) (u1_struct_0 X0))\wedge(m1_subset_1 (\\ & k4_group_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) k5_numbers) (u1_struct_0 X0)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0)\Rightarrow(m1_subset_1 (k1_group_1 X0) (u1_struct_0 X0)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 \\ & X0)\wedge(l3_algstr_0 X0))))\Rightarrow(\forall X1.(v7_ordinal1 X1)\Rightarrow(\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k5_group_1 X0 X1 X2 = k1_binop_1 \\ & (k4_group_1 X0) X2 X1))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l3_algstr_0 X0)) \Rightarrow (\forall X1. \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 (u1_struct_0 X0) \\
& k5_numbers) (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (\\
& k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) k5_numbers) (u1_struct_0 \\
& X0)))))) \Rightarrow ((X1 = k4_group_1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow ((k2_binop_1 (u1_struct_0 X0) k5_numbers (u1_struct_0 X0) \\
& X1 X2 k6_numbers = k1_group_1 X0) \wedge (\forall X3.(m2_subset_1 X3 k1_numbers \\
& k5_numbers) \Rightarrow (k2_binop_1 (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& X0) X1 X2 (k2_nat_1 X3 np_1) = k6_algstr_0 X0 (k2_binop_1 (u1_struct_0 \\
& X0) k5_numbers (u1_struct_0 X0) X1 X2 X3) X2))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l3_algstr_0 X0) \Rightarrow ((v1_group_1 X0) \Rightarrow (\forall X1.(m1_subset_1 \\
& X1 (u1_struct_0 X0)) \Rightarrow ((X1 = k1_group_1 X0) \Leftrightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X0)) \Rightarrow ((k6_algstr_0 X0 X2 X1 = X2) \wedge (k6_algstr_0 \\
& X0 X1 X2 = X2))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((m1_subset_1 X0 k5_numbers) \wedge (v7_ordinal1 \\
& X1)) \Rightarrow (k2_nat_1 X0 X1 = k2_nat_1 X1 X0)
\end{aligned} \tag{18}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \tag{19}$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow ((v2_group_1 X0) \Rightarrow (v1_group_1 X0)) \tag{20}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\
& X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\
& X0)) \Rightarrow (k5_group_1 X0 np_1 X1 = X1))
\end{aligned}$$