

t26_group_11

(TMMF7fyexfJsN9M6PDdEnWpNNuwKp93eewg)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_group_11 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_group_2 X2 X0) \Rightarrow (\forall X3.(m1_group_2 \\ & X3 X0) \Rightarrow ((m1_group_2 X2 X3) \Rightarrow ((r1_tarski (k13_group_2 X0 X2 X1) (\\ & k13_group_2 X0 X3 X1)) \wedge (r1_tarski (k14_group_2 X0 X2 X1) (k14_group_2 \\ & X0 X3 X1))))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_xboole_0 X1 X2)) \Rightarrow (r1_xboole_0 X0 X2) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (\forall X2.(m1_group_2 X2 X0) \Rightarrow (k2_group_11 \\ & X0 X1 X2 = \text{ReplSep (toset (\lambda X3 : \iota.m1_subset_1 X3 (u1_struct_0 \\ & X0)) (\lambda X3 : \iota.\neg r1_xboole_0 (k13_group_2 X0 X2 X3) X1) (\lambda X3 : \\ & \iota.X3)))))) \end{aligned} \tag{4}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m1_group_2 \\ & X2 X0) \Rightarrow (\forall X3.(m1_group_2 X3 X0) \Rightarrow ((m1_group_2 X2 X3) \Rightarrow (r1_tarski \\ & (k2_group_11 X0 X1 X2) (k2_group_11 X0 X1 X3)))))) \end{aligned}$$