

t26\_orders\_1 (TM-  
RAUjL9ffQ53nJ8DMbVscwdTaoEDL5qKQS)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v2\_orders\_1 : \iota \Rightarrow o$  be given. Let  $k2\_wellord1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_2 : \iota \Rightarrow o$  be given. Let  $v8\_relat\_2 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_2 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow ((v4\_relat\_2 X1) \Rightarrow (v4\_relat\_2 (k2\_wellord1 X1 X0))) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow ((v8\_relat\_2 X1) \Rightarrow (v8\_relat\_2 (k2\_wellord1 X1 X0))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow ((v1\_relat\_2 X1) \Rightarrow (v1\_relat\_2 (k2\_wellord1 X1 X0))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X0) \Rightarrow (v1\_relat\_1 (k2\_wellord1 X0 X1)) \quad (4)$$

Assume the following.

$$\forall X0. (v1\_relat\_1 X0) \Rightarrow ((v2\_orders\_1 X0) \Leftrightarrow ((v1\_relat\_2 X0) \wedge ((v8\_relat\_2 X0) \wedge (v4\_relat\_2 X0)))) \quad (5)$$

**Theorem 1**

$$\forall X0. (v1\_relat\_1 X0) \Rightarrow (\forall X1. (v2\_orders\_1 X0) \Rightarrow (v2\_orders\_1 (k2\_wellord1 X0 X1)))$$