

t26_rlvect_5 (TMQR- WUN4E6unod71fQ6dwz1BbjQJuuKvVih)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_rlvect_5 : \iota \Rightarrow o$ be given. Let $k1_rlsub_1 : \iota \Rightarrow \iota$ be given. Let $v1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_subset_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_rlvect_1 : \iota \Rightarrow o$ be given. Let $g1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))) \Rightarrow (v1_rlvect_3 (k1_subset_1 (u1_struct_0 X0)) X0) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))) \Rightarrow (k1_rlvect_3 X0 (k1_subset_1 (u1_struct_0 X0)) = \\ & k1_rlsub_1 X0) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (k4_struct_0 X1 = \\ k4_struct_0 X0)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.v1_xboole_0 (k1_subset_1 X0) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\exists X1.m1_rlvect_3 X1 X0) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlvect_3 X1 X0) \Rightarrow (m1_subset_1 X1 \\ (k1_zfmisc_1 (u1_struct_0 X0)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow ((\neg v2_struct_0 \\ X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge \\ ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 \\ X1) \wedge ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1)))))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.m1_subset_1 (k1_subset_1 X0) (k1_zfmisc_1 X0) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\ & ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 \\ & X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge \\ & (l1_rlvect_1 X0)))))))))) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0)))) \Rightarrow ((v1_rlvect_1 (k1_rlvect_3 X0 X1)) \wedge (m1_rlsub_1 (k1_rlvect_3 \\ & X0 X1) X0)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow ((v1_rlvect_1 (k1_rlsub_1 X0)) \wedge (m1_rlsub_1 (k1_rlsub_1 \\ & X0) X0)) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow ((m1_rlvect_3 X1 X0) \Leftrightarrow ((v1_rlvect_3 X1 X0) \wedge (k1_rlvect_3 \\ & X0 X1 = g1_rlvect_1 (u1_struct_0 X0) (u2_struct_0 X0) (u1_algstr_0 \\ & X0) (u1_rlvect_1 X0)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.((v1_rlvect_1 X1) \wedge (m1_rlsub_1 X1 X0)) \Rightarrow \\ & ((X1 = k1_rlsub_1 X0) \Leftrightarrow (u1_struct_0 X1 = k6_domain_1 (u1_struct_0 \\ & X0) (k4_struct_0 X0)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow ((v1_rlvect_5 X0) \Leftrightarrow (\exists X1. ((v1_finset_1 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \wedge (m1_rlvect_3 \\ & X1 X0))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (v1_finset_1 X0) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0. (l1_rlvect_1 X0) \Rightarrow ((v1_rlvect_1 X0) \Rightarrow (X0 = g1_rlvect_1 \\ (u1_struct_0 X0) (u2_struct_0 X0) (u1_algstr_0 X0) (u1_rlvect_1 \\ X0))) \end{aligned} \quad (21)$$

Theorem 1

$$\begin{aligned} \forall X0. (& \neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (v1_rlvect_5 (k1_rlsub_1 X0)) \end{aligned}$$