

t26_tops_1

(TMH5t1MW4wZoi5Nzo1oH47MFBA8KyYYLoJG)

October 27, 2020

Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow ((r1_tarski X1 X2) \Rightarrow (r1_tarski (k1_tops_1 \\ X0 X1) (k1_tops_1 X0 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow ((r1_tarski X1 X2) \Rightarrow (r1_tarski (k2_pre_topc \\ X0 X1) (k2_pre_topc X0 X2)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow (r1_tarski X1 (k2_pre_topc X0 X1))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0))) \Rightarrow (r1_tarski (k1_tops_1 X0 X1) X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((l1_pre_topc X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0)))) \Rightarrow (k2_pre_topc X0 (k2_pre_topc X0 X1) = k2_pre_topc \\ X0 X1) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((l1_pre_topc X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ (u1_struct_0 X0)))) \Rightarrow (k1_tops_1 X0 (k1_tops_1 X0 X1) = k1_tops_1 \\ X0 X1) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc\ X0)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0))))\Rightarrow(m1_subset_1\ (k2_pre_topc\ X0\ X1)\ (k1_zfmisc_1\ (u1_struct_0\ X0))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc\ X0)\wedge(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0))))\Rightarrow(m1_subset_1\ (k1_tops_1\ X0\ X1)\ (k1_zfmisc_1\ (u1_struct_0\ X0))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1)\Leftrightarrow((r1_tarSKI\ X0\ X1)\wedge(r1_tarSKI\ X1\ X0)) \quad (9)$$

Theorem 1

$$\forall X0.(l1_pre_topc\ X0)\Rightarrow(\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow(k2_pre_topc\ X0\ (k1_tops_1\ X0\ X1) = k2_pre_topc\ X0\ (k1_tops_1\ X0\ (k2_pre_topc\ X0\ (k1_tops_1\ X0\ X1))))))$$