

t26_yellow16

(TMawY336hhvCnKZvSkm2bntBQpi9rzGKgzo)

October 27, 2020

Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $v4_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_yellow_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_wellord1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_toler_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_yellow_0 X1 X0) \Rightarrow \\ (\forall X2.(m1_yellow_0 X2 X1) \Rightarrow (m1_yellow_0 X2 X0))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(v1_relat_1 X2) \Rightarrow ((r1_tarski \\ X0 X1) \Rightarrow (k2_wellord1 (k2_wellord1 X2 X1) X0 = k2_wellord1 X2 X0)) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(v1_relat_1 X0) \Rightarrow (k1_toler_1 X0 X1 = k2_wellord1 X0 X1) \quad (3)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (m1_subset_1 (u1_orders_2 X0) (k1_zfmisc_1 \\ (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (4)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_yellow_0 X1 X0) \Rightarrow \\ (l1_orders_2 X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(v1_relat_1 X0) \Rightarrow (v1_relat_1 (k2_wellord1 \\ X0 X1)) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(m1_yellow_0 X1 X0) \Rightarrow \\ ((v4_yellow_0 X1 X0) \Leftrightarrow (u1_orders_2 X1 = k1_toler_1 (u1_orders_2 \\ X0) (u1_struct_0 X1)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.(l1_orders_2 X1) \Rightarrow ((\\ m1_yellow_0 X1 X0) \Leftrightarrow ((r1_tarski (u1_struct_0 X1) (u1_struct_0 \\ X0)) \wedge (r1_tarski (u1_orders_2 X1) (u1_orders_2 X0)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \end{aligned} \quad (9)$$

Theorem 1

$$\begin{aligned} \forall X0.(l1_orders_2 X0) \Rightarrow (\forall X1.((v4_yellow_0 X1 X0) \wedge \\ (m1_yellow_0 X1 X0)) \Rightarrow (\forall X2.(m1_yellow_0 X2 X1) \Rightarrow ((v4_yellow_0 \\ X2 X1) \Leftrightarrow ((v4_yellow_0 X2 X0) \wedge (m1_yellow_0 X2 X0)))))) \end{aligned}$$