

# t27\_autgroup (TMNWmmwUzw- bqd2ySC56UcA37Zfchx2SnG3D)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v15\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_group\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $l3\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_autgroup : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_group\_1 : \iota \Rightarrow \iota$  be given. Let  $k6\_partfun1 : \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_relat\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_autgroup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2\_struct\_0 X0) \wedge ((v15\_algstr\_0 X0) \wedge ((v2\_group\_1 \\ &X0) \wedge ((v3\_group\_1 X0) \wedge (l3\_algstr\_0 X0)))) \Rightarrow (r2\_funct\_2 (u1\_struct\_0 \\ &X0) (u1\_struct\_0 X0) (k6\_autgroup X0 (k1\_group\_1 X0)) (k6\_partfun1 \\ &(u1\_struct\_0 X0))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((r2\_relset\_1 X0 X1 (k4\_relset\_1 X0 X0 X0 \\ X1 (k6\_partfun1 X0) X2) X2) \wedge (r2\_relset\_1 X0 X1 (k4\_relset\_1 X0 X1 \\ X1 X1 X2 (k6\_partfun1 X1) X2)) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. \forall X3. ((m1\_subset\_1 X2 \\ (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 X0 X1)))) \Rightarrow ((r2\_relset\_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1\_funct\_1 X2)\wedge \\ & ((v1\_funct\_2 X2 X0 X1)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1))))\wedge((v1\_funct\_1 X3)\wedge((v1\_funct\_2 X3 X0 X1)\wedge(m1\_subset\_1 \\ & X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))))\Rightarrow((r2\_funct\_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.k6\_partfun1 X0 = k4\_relat\_1 X0 \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & ((m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\wedge(m1\_subset\_1 \\ & X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X2 X3))))\Rightarrow(k4\_relset\_1 X0 X1 X2 X3 \\ & X4 X5 = k3\_relat\_1 X4 X5) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((v1\_funct\_1 X4)\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1))))\wedge((v1\_funct\_1 X5)\wedge(m1\_subset\_1 X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X2 X3))))\Rightarrow(k1\_partfun1 X0 X1 X2 X3 X4 X5 = k3\_relat\_1 X4 X5) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0)\wedge(l1\_struct\_0 X0))\Rightarrow(\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(v1\_relat\_1 (k4\_relat\_1 X0)\wedge((v4\_relat\_1 (k4\_relat\_1 X0) X0)\wedge((v1\_funct\_1 (k4\_relat\_1 X0))\wedge(v1\_partfun1 (k4\_relat\_1 X0) X0))) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X1)\wedge(m1\_funct\_2 \\ & X2 X0 X1))\Rightarrow(\forall X3.(m2\_funct\_2 X3 X0 X1 X2)\Rightarrow((v1\_funct\_1 X3)\wedge \\ & ((v1\_funct\_2 X3 X0 X1)\wedge(m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l3\_algstr\_0 X0)\Rightarrow(l1\_struct\_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(v1\_partfun1 (k6\_partfun1 X0) X0) \wedge (m1\_subset\_1 (k6\_partfun1 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge ((v15\_algstr\_0 X0) \wedge ((v2\_group\_1 X0) \wedge ((v3\_group\_1 X0) \wedge (l3\_algstr\_0 X0)))))) \wedge (m1\_subset\_1 X1 (u1\_struct\_0 X0))) \Rightarrow (m2\_funct\_2 (k6\_autgroup X0 X1) (u1\_struct\_0 X0) (u1\_struct\_0 X0) (k4\_autgroup X0)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. ((m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \wedge (m1\_subset\_1 X5 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X2 X3)))) \Rightarrow (m1\_subset\_1 (k4\_relset\_1 X0 X1 X2 X3 X4 X5) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X3))) \quad (14)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge ((v15\_algstr\_0 X0) \wedge ((v2\_group\_1 X0) \wedge ((v3\_group\_1 X0) \wedge (l3\_algstr\_0 X0)))))) \Rightarrow (m1\_funct\_2 (k4\_autgroup X0) (u1\_struct\_0 X0) (u1\_struct\_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0.(l3\_algstr\_0 X0) \Rightarrow (m1\_subset\_1 (k1\_group\_1 X0) (u1\_struct\_0 X0)) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v1\_partfun1 X2 X0) \Rightarrow (v1\_funct\_2 X2 X0 X1)) \quad (17)$$

**Theorem 1**

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge ((v15\_algstr\_0 X0) \wedge ((v2\_group\_1 X0) \wedge ((v3\_group\_1 X0) \wedge (l3\_algstr\_0 X0)))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow ((r2\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) (k1\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) (u1\_struct\_0 X0) (u1\_struct\_0 X0) (k6\_autgroup X0 (k1\_group\_1 X0)) (k6\_autgroup X0 X1)) (k6\_autgroup X0 X1)) \wedge (r2\_funct\_2 (u1\_struct\_0 X0) (u1\_struct\_0 X0) (k1\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) (u1\_struct\_0 X0) (u1\_struct\_0 X0) (k6\_autgroup X0 X1) (k6\_autgroup X0 (k1\_group\_1 X0)) (k6\_autgroup X0 X1)))))) \quad (17)$$