

t27_lopban_3
(TMX4LZiryabHoUeoTvXwmoA3k6vmrad2fhV)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_series_1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_lopban_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $v3_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k4_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\neg(\neg r1_xxreal_0 X0 X1) \wedge ((\neg v2_xxreal_0 X0) \wedge (\neg v3_xxreal_0 X1)))) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (((\forall X2.(m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (r1_xxreal_0 \\
& k6_numbers (k3_funct_2 k5_numbers k1_numbers X0 X2))) \wedge (v1_series_1 \\
& X1)) \Rightarrow ((\forall X2.(m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow (\exists X3. \\
& (m2_subset_1 X3 k1_numbers k5_numbers) \wedge ((r1_xxreal_0 X2 X3) \wedge \\
& (\neg r1_xxreal_0 (k3_funct_2 k5_numbers k1_numbers X0 X3) (k3_funct_2 \\
& k5_numbers k1_numbers X1 X3)))))) \vee (v1_series_1 X0))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\
& X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1))
\end{aligned} \tag{4}$$

Assume the following.

$$k6_numbers = k1_xboole_0 \tag{5}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\
& X1 X2 X3 = k1_funct_1 X2 X3)
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\
& X0))) \Rightarrow (k1_seq_1 X0 X1 = k1_funct_1 X0 X1)
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l1_struct_0 \\
& X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \wedge (m1_subset_1 X2 k5_numbers))) \Rightarrow (k1_normsp_1 X0 X1 X2 = \\
& k1_funct_1 X1 X2)
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \exists X0. (v1_xboole_0 X0) \wedge ((v1_xcmplx_0 X0) \wedge ((v1_xxreal_0 \\
& X0) \wedge (v1_xreal_0 X0)))
\end{aligned} \tag{10}$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (11)$$

Assume the following.

$$v3_membered k1_numbers \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge \\ & ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 \\ & X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge \\ & ((v3_normsp_0 X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 \\ & X0)))))))))) \wedge (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (\neg v3_xreal_0 \\ & (k1_normsp_0 X0 X1)) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0. (l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0. (l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (15)$$

Assume the following.

$$\forall X0. (l1_normsp_0 X0) \Rightarrow (l1_struct_0 X0) \quad (16)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l1_normsp_0 X0)) \wedge \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_funct_1 (k4_normsp_0 X0 X1)) \wedge ((v1_funct_2 (k4_normsp_0 \\ & X0 X1) k5_numbers k1_numbers) \wedge (m1_subset_1 (k4_normsp_0 X0 X1) \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 X0))) \Rightarrow (m1_subset_1 (k1_seq_1 X0 X1) k1_numbers) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l1_struct_0 \\ & X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \wedge (m1_subset_1 X2 k5_numbers))) \Rightarrow (m1_subset_1 (k1_normsp_1 \\ & X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_normsp_0 X0)) \Rightarrow (\forall X1. \\
& ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& k1_numbers) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\
& k1_numbers)))))) \Rightarrow ((X2 = k4_normsp_0 X0 X1) \Leftrightarrow (\forall X3.(m2_subset_1 \\
& X3 k1_numbers k5_numbers) \Rightarrow (k3_funct_2 k5_numbers k1_numbers \\
& X2 X3 = k1_normsp_0 X0 (k3_funct_2 k5_numbers (u1_struct_0 X0) X1 \\
& X3))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v2_lopan_3 X1 X0) \Leftrightarrow (v1_series_1 (k4_normsp_0 X0 X1))))
\end{aligned} \tag{22}$$

Assume the following.

$$\forall X0.((v1_xxreal_0 X0) \wedge (v2_xxreal_0 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_xxreal_0 X0) \wedge (\neg v3_xxreal_0 X0))) \tag{23}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xxreal_0 X0) \tag{24}$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \tag{25}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{26}$$

Assume the following.

$$\forall X0.\forall X1.(v3_membered X1) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v3_valued_0 X2)) \tag{27}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_series_1 X1) \Rightarrow ((\forall X3.(m2_subset_1 X3 k1_numbers \\ & k5_numbers) \Rightarrow (\exists X4.(m2_subset_1 X4 k1_numbers k5_numbers) \wedge \\ & ((r1_xxreal_0 X3 X4) \wedge (\neg r1_xxreal_0 (k1_normsp_0 X0 (k1_normsp_1 \\ & X0 X2 X4)) (k1_seq_1 X1 X4)))))) \vee (v2_lopban_3 X2 X0)))))) \end{aligned}$$