

t27_ortsp_1

(TMYnv8QLUQumteUoCz2YmijJPGTPMKBUFv6)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_ortsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_symsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_group_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_ortsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $v3_vectsp_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
 & X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
 & ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
 & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
 & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
 & X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_ortsp_1 \\
 & X1 X0) \wedge (l1_symsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1_subset_1 \\
 & X2 (u1_struct_0 X1)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 \\
 & X1)) \Rightarrow (\forall X4. (m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\neg (\neg r1_orders_2 \\
 & X1 X2 X3) \wedge ((\neg r1_orders_2 X1 X4 X3) \wedge (k1_ortsp_1 X0 X1 X4 X3 X2 \neq k8_group_1 \\
 & X0 (k11_algstr_0 X0 (k1_ortsp_1 X0 X1 X3 X2 X4)) (k1_ortsp_1 X0 X1 \\
 & X2 X3 X4))))))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
& ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
& v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
& X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_ortsp_1 \\
& X1 X0) \wedge (l1_symsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\neg(\neg r1_orders_2 \\
& X1 X2 X3) \wedge ((\neg r1_orders_2 X1 X4 X3) \wedge (k1_ortsp_1 X0 X1 X3 X2 X4 \neq k11_algstr_0 \\
& X0 (k1_ortsp_1 X0 X1 X3 X4 X2)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
& ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
& v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
& X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_ortsp_1 \\
& X1 X0) \wedge (l1_symsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\forall X5. \\
& (m1_subset_1 X5 (u1_struct_0 X1)) \Rightarrow (\neg(\neg r1_orders_2 X1 X2 X3) \wedge (\\
& \neg r1_orders_2 X1 X4 X3) \wedge (k8_group_1 X0 (k1_ortsp_1 X0 X1 X3 X2 X5) \\
& (k11_algstr_0 X0 (k1_ortsp_1 X0 X1 X3 X2 X4)) \neq k1_ortsp_1 X0 X1 X3 \\
& X4 X5)))))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
& ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
& v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
& X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_ortsp_1 \\
& X1 X0) \wedge (l1_symsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow ((\neg r1_orders_2 \\
& X1 X2 X3) \Rightarrow ((r1_orders_2 X1 X4 X3) \Leftrightarrow (k1_ortsp_1 X0 X1 X3 X2 X4 = k4_struct_0 \\
& X0)))))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(v5_group_1 \\ X0)\wedge(l3_algstr_0 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge \\ m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k8_group_1 X0 X1 X2 = k6_algstr_0 \\ X0 X1 X2) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0)\Rightarrow((l4_algstr_0 X0)\wedge(l4_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0)\Rightarrow((l3_struct_0 X0)\wedge(l3_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l3_struct_0 X0)\Rightarrow(m1_subset_1 (k5_struct_0 X0) (u1_struct_0 \\ X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v2_struct_0 \\ X0)\wedge(\neg v6_struct_0 X0)\wedge(v13_algstr_0 X0)\wedge(v33_algstr_0 X0)\wedge \\ ((v2_rlvect_1 X0)\wedge(v3_rlvect_1 X0)\wedge(v4_rlvect_1 X0)\wedge(v3_group_1 \\ X0)\wedge(v5_group_1 X0)\wedge(v4_vectsp_1 X0)\wedge(v5_vectsp_1 X0)\wedge \\ l6_algstr_0 X0))))\wedge(((\neg v2_struct_0 X1)\wedge(v13_algstr_0 \\ X1)\wedge(v2_rlvect_1 X1)\wedge(v3_rlvect_1 X1)\wedge(v4_rlvect_1 X1)\wedge \\ ((v8_vectsp_1 X1 X0)\wedge(v9_vectsp_1 X1 X0)\wedge(v10_vectsp_1 X1 X0)\wedge \\ ((v11_vectsp_1 X1 X0)\wedge(v1_ortsp_1 X1 X0)\wedge(l1_symsp_1 X1 X0))))))\wedge \\ ((m1_subset_1 X2 (u1_struct_0 X1))\wedge(m1_subset_1 X3 (u1_struct_0 \\ X1))\wedge(m1_subset_1 X4 (u1_struct_0 X1))))\Rightarrow(m1_subset_1 (k1_ortsp_1 \\ X0 X1 X2 X3 X4) (u1_struct_0 X0)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((l5_algstr_0 X0)\wedge(m1_subset_1 X1 (u1_struct_0 \\ X0)))\Rightarrow(m1_subset_1 (k11_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge(l4_algstr_0 X0))\Rightarrow((v6_vectsp_1 \\ X0)\Leftrightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(k6_algstr_0 \\ X0 (k5_struct_0 X0) X1 = X1))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.(l3_algstr_0 X0) \Rightarrow ((v3_group_1 X0) \Leftrightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k6_algstr_0 \\ X0 (k6_algstr_0 X0 X1 X2) X3 = k6_algstr_0 X0 X1 (k6_algstr_0 X0 X2 \\ X3)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 \\ X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((X1 \neq k4_struct_0 \\ X0) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((X2 = k11_algstr_0 \\ X0 X1) \Leftrightarrow (k8_group_1 X0 X2 X1 = k5_struct_0 X0)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v5_group_1 \\ X0) \wedge (l3_algstr_0 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (\\ m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (k8_group_1 X0 X1 X2 = k8_group_1 \\ X0 X2 X1) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.(l4_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v4_vectsp_1 \\ X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge ((v3_vectsp_1 X0) \wedge (v6_vectsp_1 X0)))) \end{aligned} \quad (16)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\ X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge ((v1_ortsp_1 \\ X1 X0) \wedge (l1_symsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\ X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ X1)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\forall X5. \\ (m1_subset_1 X5 (u1_struct_0 X1)) \Rightarrow (\neg(\neg r1_orders_2 X1 X2 X3) \wedge (\\ (\neg r1_orders_2 X1 X4 X3) \wedge ((\neg r1_orders_2 X1 X5 X3) \wedge (k8_group_1 X0 \\ (k1_ortsp_1 X0 X1 X3 X2 X4) (k1_ortsp_1 X0 X1 X4 X3 X5) \neq k8_group_1 \\ X0 (k1_ortsp_1 X0 X1 X3 X2 X5) (k1_ortsp_1 X0 X1 X5 X3 X4)))))))))) \end{aligned}$$