

t27_parsp_1
(TMN9fMdCRN2JU7X4J7qhzKAcegiWbtGrR8p)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_parsp_1 : \iota \Rightarrow o$ be given. Let $l1_parsp_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_parsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge (l1_parsp_1 \\ & X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & ((\neg (X1 \neq X2) \wedge ((X3 \neq X4) \wedge ((\neg (X1 = X3) \wedge (X2 = X4)) \wedge (\neg (X1 = X4) \wedge (X2 = X3)))))) \Rightarrow \\ & (r1_parsp_1 X0 X1 X2 X3 X4)))))) \end{aligned} \tag{1}$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_parsp_1 X0) \wedge (l1_parsp_1 \\ & X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow ((\neg r1_parsp_1 X0 X1 X2 X1 X3) \Rightarrow ((X1 \neq X2) \wedge ((X2 \neq \\ & X3) \wedge (X3 \neq X1)))))) \end{aligned}$$