

# t27\_polynom5 (TM- bLh3BqA5MiqgGhqAhQvz2pbWs3ATwoCtP)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l4\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_polynom5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $l3\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l3\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v6\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $k6\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_vectsp\_1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((v1\_funct\_1 X2) \wedge \\ & ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1)))))) \wedge ((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 X0 X1) \wedge (m1\_subset\_1 \\ & X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))))) \Rightarrow ((r2\_funct\_2 X0 X1 X2 \\ & X3) \Leftrightarrow (X2 = X3)) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 \\ & X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \end{aligned} \tag{2}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{3}$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \tag{4}$$

Assume the following.

$$\forall X0. (l4\_algstr\_0 X0) \Rightarrow ((l3\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \tag{5}$$

Assume the following.

$$\forall X0.(l3\_struct\_0 X0) \Rightarrow (m1\_subset\_1 (k5\_struct\_0 X0) (u1\_struct\_0 X0)) \quad (6)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0) \wedge \\ & (((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 X1)))))) \wedge (m1\_subset\_1 X3 X0)) \Rightarrow (m1\_subset\_1 ( \\ & k3\_funct\_2 X0 X1 X2 X3) X1) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l4\_algstr\_0 X0)) \Rightarrow ((v6\_vectsp\_1 \\ & X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k6\_algstr\_0 \\ & X0 (k5\_struct\_0 X0) X1 = X1))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ & ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0)))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & ((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 k5\_numbers (u1\_struct\_0 X0)) \wedge \\ & (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0)))))) \Rightarrow ((X3 = k3\_polynom5 X0 X1 X2) \Leftrightarrow (\forall X4.(m2\_subset\_1 \\ & X4 k1\_numbers k5\_numbers) \Rightarrow (k3\_funct\_2 k5\_numbers (u1\_struct\_0 \\ & X0) X3 X4 = k6\_algstr\_0 X0 X2 (k3\_funct\_2 k5\_numbers (u1\_struct\_0 \\ & X0) X1 X4)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l4\_algstr\_0 X0) \Rightarrow (((\neg v2\_struct\_0 X0) \wedge (v4\_vectsp\_1 \\ & X0)) \Rightarrow ((\neg v2\_struct\_0 X0) \wedge ((v3\_vectsp\_1 X0) \wedge (v6\_vectsp\_1 X0)))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_xboole\_0 X1)) \quad (12)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v4\_vectsp\_1 X0) \wedge (l4\_algstr\_0 \\ & X0))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers \\ & (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (r2\_funct\_2 k5\_numbers (u1\_struct\_0 \\ & X0) (k3\_polynom5 X0 X1 (k5\_struct\_0 X0)) X1)) \end{aligned}$$