

t27_rlsb_1 (TMG-
WSLCe8HscN2sLMLUSRibqKoSF1Pqbw3b)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((r1_tarski X0 X1) \wedge (r1_tarski X2 X3)) \Rightarrow (r1_tarski (k2_zfmisc_1 X0 X2) (k2_zfmisc_1 X1 X3)) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1_relat_1 X2) \wedge (v1_funct_1 X2)) \Rightarrow ((r1_tarski X0 X1) \Rightarrow ((k5_relat_1 (k5_relat_1 X2 X0) X1 = k5_relat_1 X2 X0) \wedge (k5_relat_1 (k5_relat_1 X2 X1) X0 = k5_relat_1 X2 X0))) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.r1_tarski X0 X0 \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_rlvect_1 X0) \Rightarrow & ((v1_funct_1 (u1_rlvect_1 X0)) \wedge \\ & ((v1_funct_2 (u1_rlvect_1 X0) (k2_zfmisc_1 k1_numbers (u1_struct_0 \\ & X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_rlvect_1 X0) (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 k1_numbers (u1_struct_0 X0)) (u1_struct_0 \\ & X0)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_algstr_0 X0) \Rightarrow & ((v1_funct_1 (u1_algstr_0 X0)) \wedge \\ & ((v1_funct_2 (u1_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_algstr_0 \\ & X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (\\ & u1_struct_0 X0)) (u1_struct_0 X0)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge & ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge & ((v13_algstr_0 \\ & X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ & ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 \\ & X1) \wedge (l1_rlvect_1 X1)))))))))) \Rightarrow ((m1_rlsub_1 X1 X0) \Leftrightarrow & ((r1_tarski \\ & (u1_struct_0 X1) (u1_struct_0 X0)) \wedge ((k4_struct_0 X1 = k4_struct_0 \\ & X0) \wedge ((u1_algstr_0 X1 = k1_realset1 (u1_algstr_0 X0) (u1_struct_0 \\ & X1)) \wedge (u1_rlvect_1 X1 = k5_relat_1 (u1_rlvect_1 X0) (k2_zfmisc_1 \\ & k1_numbers (u1_struct_0 X1)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0) \Rightarrow (\forall X1.k1_realset1 X0 X1 = k5_relat_1 X0 (k2_zfmisc_1 X1 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge (v13_algstr_0 \\ & X1) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\ & ((v5_rlvect_1 X1) \wedge (v6_rlvect_1 X1) \wedge (v7_rlvect_1 X1) \wedge (v8_rlvect_1 \\ & X1) \wedge (l1_rlvect_1 X1)))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge \\ & (v13_algstr_0 X2) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge (v4_rlvect_1 \\ & X2) \wedge (v5_rlvect_1 X2) \wedge (v6_rlvect_1 X2) \wedge (v7_rlvect_1 X2) \wedge \\ & ((v8_rlvect_1 X2) \wedge (l1_rlvect_1 X2)))))) \Rightarrow (((m1_rlsub_1 \\ & X0 X1) \wedge (m1_rlsub_1 X1 X2)) \Rightarrow (m1_rlsub_1 X0 X2))) \end{aligned}$$