

## t27\_rmod\_2

(TMTKR7CkURCSzKZiiPjMdD81xBTP6pBoPxr)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_rmod\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $u1\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $u1\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (r1\_tarski X0 X1) \Rightarrow ((r1\_tarski \\ & (k2\_zfmisc\_1 X0 X2) (k2\_zfmisc\_1 X1 X2)) \wedge (r1\_tarski (k2\_zfmisc\_1 \\ & X2 X0) (k2\_zfmisc\_1 X2 X1))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v1\_relat\_1 X2) \wedge (v1\_funct\_1 \\ & X2)) \Rightarrow ((r1\_tarski X0 X1) \Rightarrow ((k5\_relat\_1 (k5\_relat\_1 X2 X0) X1 = k5\_relat\_1 \\ & X2 X0) \wedge (k5\_relat\_1 (k5\_relat\_1 X2 X1) X0 = k5\_relat\_1 X2 X0))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. v1\_relat\_1 (k2\_zfmisc\_1 X0 X1) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((l1\_struct\_0 X0) \wedge (l1\_vectsp\_2 X1 X0)) \Rightarrow \\ & ((v1\_funct\_1 (u1\_vectsp\_2 X0 X1)) \wedge ((v1\_funct\_2 (u1\_vectsp\_2 \\ & X0 X1) (k2\_zfmisc\_1 (u1\_struct\_0 X1) (u1\_struct\_0 X0)) (u1\_struct\_0 \\ & X1)) \wedge (m1\_subset\_1 (u1\_vectsp\_2 X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (k2\_zfmisc\_1 (u1\_struct\_0 X1) (u1\_struct\_0 X0)) (u1\_struct\_0 \\ & X1)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1\_algstr\_0 X0) \Rightarrow ((v1\_funct\_1 (u1\_algstr\_0 X0)) \wedge \\ & ((v1\_funct\_2 (u1\_algstr\_0 X0) (k2\_zfmisc\_1 (u1\_struct\_0 X0) ( \\ & u1\_struct\_0 X0)) (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 (u1\_algstr\_0 \\ & X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) ( \\ & u1\_struct\_0 X0)) (u1\_struct\_0 X0)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge \\ & (((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge (( \\ & v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge (l1\_vectsp\_2 \\ & X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_rmod\_2 X2 X0 X1) \Rightarrow ((\neg v2\_struct\_0 \\ & X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge \\ & ((v4\_rlvect\_1 X2) \wedge ((v4\_vectsp\_2 X2 X0) \wedge (l1\_vectsp\_2 X2 X0)))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l2\_struct\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (8)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (l1\_vectsp\_2 X1 X0) \Rightarrow (l2\_algstr\_0 X1)) \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge \\
& (l1\_vectsp\_2 X1 X0))))))) \Rightarrow (\forall X2.((\neg v2\_struct\_0 X2) \wedge (( \\
& v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 \\
& X2) \wedge ((v4\_vectsp\_2 X2 X0) \wedge (l1\_vectsp\_2 X2 X0))))))) \Rightarrow ((m1\_rmod\_2 \\
& X2 X0 X1) \Leftrightarrow ((r1\_tarski (u1\_struct\_0 X2) (u1\_struct\_0 X1)) \wedge ((k4\_struct\_0 \\
& X2 = k4\_struct\_0 X1) \wedge ((u1\_algstr\_0 X2 = k5\_relat\_1 (u1\_algstr\_0 \\
& X1) (k2\_zfmisc\_1 (u1\_struct\_0 X2) (u1\_struct\_0 X2))) \wedge (u1\_vectsp\_2 \\
& X0 X2 = k5\_relat\_1 (u1\_vectsp\_2 X0 X1) (k2\_zfmisc\_1 (u1\_struct\_0 \\
& X2) (u1\_struct\_0 X0))))))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\forall X0.(v1\_relat\_1 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_relat\_1 X1)) \tag{12}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge \\
& (l1\_vectsp\_2 X1 X0))))))) \Rightarrow (\forall X2.(m1\_rmod\_2 X2 X0 X1) \Rightarrow (\forall X3. \\
& (m1\_rmod\_2 X3 X0 X1) \Rightarrow ((r1\_tarski (u1\_struct\_0 X2) (u1\_struct\_0 \\
& X3)) \Rightarrow (m1\_rmod\_2 X2 X0 X3))))))
\end{aligned}$$