

t27_rusub_3 (TMJPGwe-
bYsN3EUqZKkJYQGA8NR9HpAGQpXh)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $m1_rusub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rusub_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_rlvect_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_bhsp_1 : \iota \Rightarrow o$ be given. Let $g1_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $u1_bhsp_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. (m1_rusub_1 X1 X0) \Rightarrow (\forall X2. (m1_rusub_1 X2 X0) \Rightarrow ((r1_tarski (u1_struct_0 X1) (u1_struct_0 X2)) \Rightarrow (m1_rusub_1 X1 X2)))))) \quad (2) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ & (\forall X2.(m1_rlvect_2 X2 X0) \Rightarrow (\neg(r1_tarski (k3_rlvect_2 X0 \\ & X2) (u1_struct_0 X1)) \wedge (\forall X3.(m1_rlvect_2 X3 X1) \Rightarrow (\neg(k3_rlvect_2 \\ & X1 X3 = k3_rlvect_2 X0 X2) \wedge (k6_rlvect_2 X1 X3 = k6_rlvect_2 X0 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (\forall X2.(r1_struct_0 (k1_rusub_3 X0 X1) \\ & X2) \Leftrightarrow (\exists X3.(m2_rlvect_2 X3 X0 X1) \wedge (X2 = k6_rlvect_2 X0 X3)))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2. \\ & (m2_rlvect_2 X2 X0 X1) \Rightarrow (m1_rlvect_2 X2 X0)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\ & X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v2_bhsp_1 X1) \wedge (l1_bhsp_1 \\ & X1)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\ & ((v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 \\ & X0) \wedge (v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge \\ & (l1_rlvect_1 X0)))))) \wedge (m1_rlvect_2 X1 X0) \Rightarrow (m1_subset_1 \\ & (k6_rlvect_2 X0 X1) (u1_struct_0 X0)) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\ & ((v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 \\ & X0) \wedge (v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge \\ & ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow ((v1_bhsp_1 (k1_rusub_3 X0 X1)) \wedge (m1_rusub_1 \\ & (k1_rusub_3 X0 X1) X0)) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ & (m1_rlvect_2 X2 X0) \Rightarrow ((m2_rlvect_2 X2 X0 X1) \Leftrightarrow (r1_tarski (k3_rlvect_2 \\ & X0 X2) X1)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(r1_struct_0 X0 X1) \Leftrightarrow (X1 \in u1_struct_0 X0)) \quad (16)$$

Assume the following.

$$\forall X0. \forall X1.(r1_tarski X0 X1) \Leftrightarrow (\forall X2.(X2 \in X0) \Rightarrow (X2 \in X1)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_bhsp_1 X0) \Rightarrow ((v1_bhsp_1 X0) \Rightarrow (X0 = g1_bhsp_1 (u1_struct_0 \\ & X0) (u2_struct_0 X0) (u1_algstr_0 X0) (u1_rlvect_1 X0) (u1_bhsp_1 \\ & X0))) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))) \Rightarrow (\forall X1. (m1_rusub_1 X1 X0) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ & ((r1_tarski X2 (u1_struct_0 X1)) \Rightarrow (m1_rusub_1 (k1_rusub_3 X0 X2) \\ & X1)))) \end{aligned}$$