

# t28\_bhsp\_2 (TMcxkoHZGXVNXxNbrNW- STVB1PevfV2RduNQ)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_bhsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_bhsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_comseq\_2 : \iota \Rightarrow o$  be given. Let  $k2\_bhsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_seq\_2 : \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 \\
& X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (((v1\_bhsp\_2 X1 X0) \wedge (v1\_bhsp\_2 X2 X0)) \Rightarrow (v1\_bhsp\_2 ( \\
& k3\_normsp\_1 X0 X1 X2) X0))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhs\_p1 \\
& X0) \wedge (l1\_bhs\_p1 X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers \\
& (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (((v1\_bhs\_p2 X2 X0) \wedge (k1\_bhs\_p2 \\
& X0 X2 = X1)) \Rightarrow ((v2\_comseq\_2 (k2\_bhs\_p2 X0 (k4\_normsp\_1 X0 X2 X1)) \wedge \\
& (k2\_seq\_2 (k2\_bhs\_p2 X0 (k4\_normsp\_1 X0 X2 X1)) = k6\_numbers))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhs\_p1 \\
& X0) \wedge (l1\_bhs\_p1 X0)))))))))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (((v1\_bhs\_p2 X1 X0) \wedge (v1\_bhs\_p2 X2 X0)) \Rightarrow (k1\_bhs\_p2 X0 \\
& (k3\_normsp\_1 X0 X1 X2) = k5\_algstr\_0 X0 (k1\_bhs\_p2 X0 X1) (k1\_bhs\_p2 \\
& X0 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \tag{4}$$

Assume the following.

$$\forall X0.(l1\_bhs\_p1 X0) \Rightarrow (l1\_rlvect\_1 X0) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (l2\_algstr\_0 \\
& X0)) \wedge (((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \wedge ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow ((v1\_funct\_1 (k3\_normsp\_1 X0 X1 X2)) \wedge ((v1\_funct\_2 \\
& (k3\_normsp\_1 X0 X1 X2) k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 \\
& (k3\_normsp\_1 X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\
& ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 \\
& X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge \\
& ((v2\_bhs\_1 X0) \wedge (l1\_bhs\_1 X0)))))))))) \wedge ((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 \ k5\_numbers \ (u1\_struct\_0 \ X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 \ (k2\_zfmisc\_1 \ k5\_numbers \ (u1\_struct\_0 \ X0)))))) \Rightarrow \\
& (m1\_subset\_1 \ (k1\_bhs\_2 \ X0 \ X1) \ (u1\_struct\_0 \ X0))
\end{aligned} \tag{7}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhs\_1 \\
& X0) \wedge (l1\_bhs\_1 X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 \ (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 \ (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\
& ((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 \ k5\_numbers \ (u1\_struct\_0 X0)) \wedge \\
& (m1\_subset\_1 X3 \ (k1\_zfmisc\_1 \ (k2\_zfmisc\_1 \ k5\_numbers \ (u1\_struct\_0 \\
& X0)))))) \Rightarrow (\forall X4. ((v1\_funct\_1 X4) \wedge ((v1\_funct\_2 X4 \ k5\_numbers \\
& (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X4 \ (k1\_zfmisc\_1 \ (k2\_zfmisc\_1 \\
& k5\_numbers \ (u1\_struct\_0 X0)))))) \Rightarrow ((v1\_bhs\_2 X3 X0) \wedge ((k1\_bhs\_2 \\
& X0 X3 = X1) \wedge ((v1\_bhs\_2 X4 X0) \wedge (k1\_bhs\_2 X0 X4 = X2)))) \Rightarrow ((v2\_comseq\_2 \\
& (k2\_bhs\_2 X0 \ (k4\_normsp\_1 X0 \ (k3\_normsp\_1 X0 X3 X4) \ (k5\_algstr\_0 \\
& X0 X1 X2)))) \wedge (k2\_seq\_2 \ (k2\_bhs\_2 X0 \ (k4\_normsp\_1 X0 \ (k3\_normsp\_1 \\
& X0 X3 X4) \ (k5\_algstr\_0 X0 X1 X2))) = k6\_numbers))))))
\end{aligned}$$