

t28_heyting3

(TMHd2shYhFSysR9vHwi7kb6gB6YRKdNeB8t)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_heyting3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_heyting3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_substlat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_lattices : \iota \Rightarrow o$ be given. Let $k5_substlat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v10_lattices : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l3_lattices : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_lattice3 : \iota \Rightarrow \iota$ be given. Let $v1_relat_2 : \iota \Rightarrow o$ be given. Let $v4_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $v1_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_finsub_1 : \iota \Rightarrow \iota$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_lattices : \iota \Rightarrow \iota$ be given. Let $k3_substlat : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_substlat : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_lattices : \iota \Rightarrow \iota$ be given. Let $k4_substlat : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_lattice3 : \iota \Rightarrow \iota$ be given. Let $u1_orders_2 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v1_finset_1 X2) \wedge (m1_subset_1 X2 (k4_partfun1 X0 X1))) \Rightarrow (k1_tarski X2 \in k1_substlat X0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))) \Rightarrow (\forall X2. \forall X3. (g1_orders_2 X0 X1 = g1_orders_2 X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(m1_subset_1 X1 k5_numbers))\Rightarrow(v1_finset_1 (k2_heyting3 X0 X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.(v3_lattices (k5_substlat X0 X1))\wedge(v10_lattices (k5_substlat X0 X1)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v2_struct_0 (k5_substlat X0 X1))\wedge(v3_lattices (k5_substlat X0 X1)) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\neg v1_xboole_0 (k4_partfun1 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(v3_lattices (k5_substlat X0 X1))\wedge(l3_lattices (k5_substlat X0 X1)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge((v10_lattices X0)\wedge(l3_lattices X0)))\Rightarrow & \\ \Rightarrow((v1_partfun1 (k2_lattice3 X0) (u1_struct_0 X0))\wedge((v1_relat_2 & \\ (k2_lattice3 X0))\wedge((v4_relat_2 (k2_lattice3 X0))\wedge((v8_relat_2 & \\ (k2_lattice3 X0))\wedge(m1_subset_1 (k2_lattice3 X0) (k1_zfmisc_1 & \\ (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0))))))) & \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(m1_subset_1 X1 k5_numbers))\Rightarrow(m1_subset_1 (k2_heyting3 X0 X1) (k4_partfun1 k5_numbers (k6_domain_1 k5_numbers X1))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))\Rightarrow((v1_orders_2 (g1_orders_2 X0 X1))\wedge(l1_orders_2 (g1_orders_2 X0 X1))) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((v3_lattices X2)\wedge(l3_lattices X2))\Rightarrow & \\ \Rightarrow((X2 = k5_substlat X0 X1)\Leftrightarrow((u1_struct_0 X2 = k1_substlat X0 & \\ X1)\wedge(\forall X3.(m2_subset_1 X3 (k5_finsub_1 (k4_partfun1 X0 & \\ X1)) (k1_substlat X0 X1))\Rightarrow(\forall X4.(m2_subset_1 X4 (k5_finsub_1 & \\ (k4_partfun1 X0 X1)) (k1_substlat X0 X1))\Rightarrow((k1_binop_1 (u2_lattices & \\ X2) X3 X4 = k3_substlat X0 X1 (k2_substlat X0 X1 X3 X4))\wedge(k1_binop_1 & \\ (u1_lattices X2) X3 X4 = k3_substlat X0 X1 (k4_substlat X0 X1 X3 X4)))))) & \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v10_lattices X0) \wedge (l3_lattices X0))) \Rightarrow (k3_lattice3 X0 = g1_orders_2 (u1_struct_0 X0) (k2_lattice3 X0)) \quad (14)$$

Assume the following.

$$\forall X0. \forall X1. k1_heyting3 X0 X1 = k3_lattice3 (k5_substlat X0 X1) \quad (15)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow ((v1_orders_2 X0) \Rightarrow (X0 = g1_orders_2 (u1_struct_0 X0) (u1_orders_2 X0))) \quad (16)$$

Theorem 1

$$\forall X0. (m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1. (m1_subset_1 X1 k5_numbers) \Rightarrow (m1_subset_1 (k6_domain_1 (k4_partfun1 k5_numbers (k6_domain_1 k5_numbers X1)) (k2_heyting3 X0 X1)) (u1_struct_0 (k1_heyting3 k5_numbers (k6_domain_1 k5_numbers X1)))))$$