

t28_rlvect_5 (TMXZnx- PSEG4hGEahPPMi7SbEFSj1QPhCFV6)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v1_rlvect_5 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rlvect_5 : \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $g1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $k1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $m1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_xxreal_0 : \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.((v1_finset_1 X1) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.((v1_finset_1 \\
& X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (((g1_rlvect_1 \\
& (u1_struct_0 X0) (u2_struct_0 X0) (u1_algstr_0 X0) (u1_rlvect_1 \\
& X0) = k1_rlvect_3 X0 X1) \wedge (v1_rlvect_3 X2 X0)) \Rightarrow ((r1_xxreal_0 (k5_card_1 \\
& X2) (k5_card_1 X1)) \wedge (\exists X3.((v1_finset_1 X3) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (u1_struct_0 X0)))) \wedge ((r1_tarski X3 X1) \wedge ((k5_card_1 \\
& X3 = k6_xcmplx_0 (k5_card_1 X1) (k5_card_1 X2)) \wedge (g1_rlvect_1 (\\
& u1_struct_0 X0) (u2_struct_0 X0) (u1_algstr_0 X0) (u1_rlvect_1 \\
& X0) = k1_rlvect_3 X0 (k4_subset_1 (u1_struct_0 X0) X2 X3))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow ((v1_rlvect_3 X2 X1) \Rightarrow ((v1_rlvect_3 \\ & X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))))))) \end{aligned} \quad (2)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (3)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow ((\neg v2_struct_0 \\ & X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge \\ & ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 \\ & X1) \wedge ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1))))))))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (m2_subset_1 (k1_rlvect_5 X0) k1_numbers k5_numbers) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ & X0))) \Rightarrow ((m1_rlvect_3 X1 X0) \Leftrightarrow ((v1_rlvect_3 X1 X0) \wedge (k1_rlvect_3 \\ & X0 X1 = g1_rlvect_1 (u1_struct_0 X0) (u2_struct_0 X0) (u1_algstr_0 \\ & X0) (u1_rlvect_1 X0)))))) \end{aligned} \quad (7)$$

Assume the following.

$$k1_xxreal_0 = k1_numbers \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ &X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ &X0)))))) \Rightarrow ((v1_rlvect_5 X0) \Rightarrow (\forall X1. (m2_subset_1 X1 \\ &k1_numbers\ k5_numbers) \Rightarrow ((X1 = k1_rlvect_5 X0) \Leftrightarrow (\forall X2. (m1_rlvect_3 \\ &X2 X0) \Rightarrow (X1 = k1_card_1 X2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ &X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ &X0)))))) \Rightarrow ((v1_rlvect_5 X0) \Leftrightarrow (\exists X1. ((v1_finset_1 X1) \wedge \\ &(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \wedge (m1_rlvect_3 \\ &X1 X0))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ &X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (v1_rlvect_5 \\ &X0) \wedge (l1_rlvect_1 X0)))))) \Rightarrow (\forall X1. (m1_rlsub_1 X1 X0) \Rightarrow \\ &(v1_rlvect_5 X1)) \end{aligned} \quad (11)$$

Theorem 1

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ &X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (v1_rlvect_5 \\ &X0) \wedge (l1_rlvect_1 X0)))))) \Rightarrow (\forall X1. (m1_rlsub_1 X1 X0) \Rightarrow \\ &(r1_xxreal_0 (k1_rlvect_5 X1) (k1_rlvect_5 X0))) \end{aligned}$$