

## t28\_rmod\_2

(TMLn5FjuMbtiiZ2ALMFVujMfsFYKPrTLLcv)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_rmod\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_struct\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_vectsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
 & X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
 & ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
 & X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge \\
 & (l1\_vectsp\_2 X1 X0))))))) \Rightarrow (\forall X2. (m1\_rmod\_2 X2 X0 X1) \Rightarrow (\forall X3. \\
 & (m1\_rmod\_2 X3 X0 X1) \Rightarrow ((r1\_tarski (u1\_struct\_0 X2) (u1\_struct\_0 \\
 & X3)) \Rightarrow (m1\_rmod\_2 X2 X0 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1\_subset\_1 X0 X1) \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge \\ & ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge (( \\ & v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge (l1\_vectsp\_2 \\ & X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_rmod\_2 X2 X0 X1) \Rightarrow ((\neg v2\_struct\_0 \\ & X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge \\ & ((v4\_rlvect\_1 X2) \wedge ((v4\_vectsp\_2 X2 X0) \wedge (l1\_vectsp\_2 X2 X0)))))))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0. (l2\_struct\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (5)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (l1\_vectsp\_2 X1 X0) \Rightarrow (l2\_algstr\_0 X1)) \quad (7)$$

Assume the following.

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (r1\_struct\_0 X0 X1) \Leftrightarrow (X1 \in u1\_struct\_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\ & X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\ & ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\ & (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\ & X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_2 X1 X0) \wedge \\ & (l1\_vectsp\_2 X1 X0)))))))))) \Rightarrow (\forall X2. ((\neg v2\_struct\_0 X2) \wedge (( \\ & v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 \\ & X2) \wedge ((v4\_vectsp\_2 X2 X0) \wedge (l1\_vectsp\_2 X2 X0)))))))))) \Rightarrow ((m1\_rmod\_2 \\ & X2 X0 X1) \Leftrightarrow ((r1\_tarski (u1\_struct\_0 X2) (u1\_struct\_0 X1)) \wedge ((k4\_struct\_0 \\ & X2 = k4\_struct\_0 X1) \wedge ((u1\_algstr\_0 X2 = k5\_relat\_1 (u1\_algstr\_0 \\ & X1) (k2\_zfmisc\_1 (u1\_struct\_0 X2) (u1\_struct\_0 X2))) \wedge (u1\_vectsp\_2 \\ & X0 X2 = k5\_relat\_1 (u1\_vectsp\_2 X0 X1) (k2\_zfmisc\_1 (u1\_struct\_0 \\ & X2) (u1\_struct\_0 X0)))))))))) \end{aligned} \quad (10)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v3\_group\_1 \\ & X0) \wedge (v4\_vectsp\_1 X0) \wedge (v5\_vectsp\_1 X0) \wedge (v2\_rlvect\_1 X0) \wedge \\ & ((v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))) \Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1) \wedge (v13\_algstr\_0 X1) \wedge (v2\_rlvect\_1 \\ & X1) \wedge (v3\_rlvect\_1 X1) \wedge (v4\_rlvect\_1 X1) \wedge (v4\_vectsp\_2 X1 X0) \wedge \\ & (l1\_vectsp\_2 X1 X0)))))) \Rightarrow (\forall X2.(m1\_rmod\_2 X2 X0 X1) \Rightarrow (\forall X3. \\ & (m1\_rmod\_2 X3 X0 X1) \Rightarrow ((\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 \\ & X1)) \Rightarrow ((r1\_struct\_0 X2 X4) \Rightarrow (r1\_struct\_0 X3 X4))) \Rightarrow (m1\_rmod\_2 X2 \\ & X0 X3)))))) \end{aligned}$$