

t29\_wsierp\_1 (TMKRdPA-  
Trd83mBP7KKAVw1sWBFXuQb3AoXN)

October 27, 2020

Let  $v1\_int\_1 : \iota \Rightarrow o$  be given. Let  $r1\_int\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_xcmplx\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_int\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $r1\_int\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1\_int\_1 X0) \Rightarrow (\forall X1.(v1\_int\_1 X1) \Rightarrow (\forall X2. \\ & (v1\_int\_1 X2) \Rightarrow (((r1\_int\_1 X0 (k3\_xcmplx\_0 X1 X2)) \wedge (r1\_int\_2 X1 \\ & X0)) \Rightarrow (r1\_int\_1 X0 X2)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1\_int\_1 X0) \Rightarrow (\forall X1.(v1\_int\_1 X1) \Rightarrow ((r1\_int\_2 \\ & X0 X1) \Leftrightarrow (k3\_int\_2 X0 X1 = np\_1))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1\_int\_1 X0) \wedge (v1\_int\_1 X1)) \Rightarrow (k3\_int\_2 \\ & X0 X1 = k3\_int\_2 X1 X0) \end{aligned} \quad (3)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(v1\_int\_1 X0) \Rightarrow (\forall X1.(v1\_int\_1 X1) \Rightarrow (\forall X2. \\ & (v1\_int\_1 X2) \Rightarrow (((r1\_int\_1 X0 (k3\_xcmplx\_0 X1 X2)) \wedge (k3\_int\_2 X0 \\ & X1 = np\_1)) \Rightarrow (r1\_int\_1 X0 X2)))) \end{aligned}$$