

t2_algstr_3 (TM- MDQk2WSKb4oysFQLJn2XgDnbvhCSbNAJL)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_algstr_3 : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k1_algstr_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_algstr_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v1_algstr_3 : \iota \Rightarrow o$ be given. Let $l1_algstr_3 : \iota \Rightarrow o$ be given. Let $k2_algstr_3 : \iota$ be given. Let $k2_multop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_algstr_3 : \iota \Rightarrow \iota$ be given. Let $v1_membered : \iota \Rightarrow o$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u3_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k3_xcmplx_0 X0 \ k6_numbers = k6_numbers) \quad (1)$$

Assume the following.

$$m1_subset_1 \ k1_xboole_0 \ k4_ordinal1 \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 \ np_1) \wedge (m2_subset_1 \ np_1 \ k1_numbers \ k5_numbers)) \wedge \\ & ((m1_subset_1 \ np_1 \ k5_numbers) \wedge (m1_subset_1 \ np_1 \ k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 \ X0 \ k1_numbers) \wedge (v1_xreal_0 \ X1)) \Rightarrow (k8_real_1 \ X0 \ X1 = k3_xcmplx_0 \ X0 \ X1) \quad (4)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((m1_subset_1 X1 \\ & X0)\wedge((m1_subset_1 X2 X0)\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 (k3_zfmisc_1 \\ & X0 X0 X0) X0)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k3_zfmisc_1 \\ & X0 X0 X0) X0))))))\Rightarrow(\forall X4.\forall X5.\forall X6.\forall X7. \\ & (g1_algstr_3 X0 X1 X2 X3 = g1_algstr_3 X4 X5 X6 X7)\Rightarrow((X0 = X4)\wedge((X1 = \\ & X5)\wedge((X2 = X6)\wedge(X3 = X7)))))) \end{aligned} \quad (7)$$

Assume the following.

$$v3_membered k1_numbers \quad (8)$$

Assume the following.

$$(\neg v2_struct_0 k3_algstr_3)\wedge(v1_algstr_3 k3_algstr_3) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers)\wedge(v1_xreal_0 X1))\Rightarrow(m1_subset_1 (k8_real_1 X0 X1) k1_numbers) \quad (10)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (11)$$

Assume the following.

$$(v1_algstr_3 k3_algstr_3)\wedge(l1_algstr_3 k3_algstr_3) \quad (12)$$

Assume the following.

$$\begin{aligned} & (v1_funct_1 k2_algstr_3)\wedge((v1_funct_2 k2_algstr_3 (k3_zfmisc_1 \\ & k1_numbers k1_numbers k1_numbers) k1_numbers)\wedge(m1_subset_1 \\ & k2_algstr_3 (k1_zfmisc_1 (k2_zfmisc_1 (k3_zfmisc_1 k1_numbers \\ & k1_numbers k1_numbers) k1_numbers)))) \end{aligned} \quad (13)$$

Assume the following.

$$k3_algstr_3 = g1_algstr_3 k1_numbers k6_numbers np_1 k2_algstr_3 \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0)\wedge((v1_funct_2 X0 (k3_zfmisc_1 k1_numbers \\ & k1_numbers k1_numbers) k1_numbers)\wedge(m1_subset_1 X0 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k3_zfmisc_1 k1_numbers k1_numbers k1_numbers) \\ & k1_numbers))))))\Rightarrow((X0 = k2_algstr_3)\Leftrightarrow(\forall X1.(m1_subset_1 \\ & X1 k1_numbers)\Rightarrow(\forall X2.(m1_subset_1 X2 k1_numbers)\Rightarrow(\forall X3. \\ & (m1_subset_1 X3 k1_numbers)\Rightarrow(k2_multop_1 k1_numbers k1_numbers \\ & k1_numbers k1_numbers X0 X1 X2 X3 = k7_real_1 (k8_real_1 X1 X2) X3)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(-v2_struct_0 X0) \wedge (l1_algstr_3 X0)) \Rightarrow (\forall X1. \\ &(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 \\ &(u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ &(k1_algstr_3 X0 X1 X2 X3 = k2_multop_1 (u1_struct_0 X0) (u1_struct_0 \\ &X0) (u1_struct_0 X0) (u1_struct_0 X0) (u1_algstr_3 X0) X1 X2 X3)))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 (k1_zfmisc_1 k1_numbers)) \Rightarrow (v3_membered X0) \quad (17)$$

Assume the following.

$$\forall X0. (v3_membered X0) \Rightarrow (v1_membered X0) \quad (18)$$

Assume the following.

$$\forall X0. (v3_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v1_xreal_0 X1)) \quad (19)$$

Assume the following.

$$\forall X0. (v1_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v1_xcmplx_0 X1)) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall X0. (l1_algstr_3 X0) \Rightarrow ((v1_algstr_3 X0) \Rightarrow (X0 = g1_algstr_3 \\ (u1_struct_0 X0) (u2_struct_0 X0) (u3_struct_0 X0) (u1_algstr_3 \\ X0))) \end{aligned} \quad (21)$$

Theorem 1

$$\begin{aligned} \forall X0. (m1_subset_1 X0 (u1_struct_0 k3_algstr_3)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (u1_struct_0 k3_algstr_3)) \Rightarrow (\forall X2. (m1_subset_1 \\ X2 (u1_struct_0 k3_algstr_3)) \Rightarrow (\forall X3. (m1_subset_1 X3 k1_numbers) \Rightarrow \\ (\forall X4. (m1_subset_1 X4 k1_numbers) \Rightarrow (\forall X5. (m1_subset_1 \\ X5 k1_numbers) \Rightarrow (((X0 = X3) \wedge ((X1 = X4) \wedge (X2 = X5))) \Rightarrow (k1_algstr_3 \\ k3_algstr_3 X0 X1 X2 = k7_real_1 (k8_real_1 X3 X4 X5)))))))) \end{aligned}$$