

t2_group_4
(TMS3mgsqxpJs97Tjfi97qAkFnYFtqeNGkbo)

October 27, 2020

Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_group_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k2_group_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k1_int_2 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k16_complex1 : \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k4_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_group_2 X2 X0) \Rightarrow (\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X2)) \Rightarrow ((X3 = X1) \Rightarrow (k2_group_1 X2 X3 = k2_group_1 X0 \\ & X1)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1_int_1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ & X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X1)) \Rightarrow ((r1_xxreal_0 X0 k6_numbers) \Rightarrow (k5_group_1 \\ & X1 X0 X2 = k2_group_1 X1 (k5_group_1 X1 (k1_int_2 X0) X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (v2_group_1 X1) \wedge (v3_group_1 X1) \wedge (l3_algstr_0 \\ & X1))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X1)) \Rightarrow (\forall X3. \\ & (m1_group_2 X3 X1) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X3)) \Rightarrow \\ & ((X2 = X4) \Rightarrow (k5_group_1 X1 X0 X2 = k5_group_1 X3 X0 X4)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.(v1_int_1 X0) \Rightarrow (k1_int_2 X0 = k16_complex1 X0) \quad (8)$$

Assume the following.

$$\exists X0.(v1_xboole_0 X0) \wedge ((v1_xcmplx_0 X0) \wedge ((v1_xreal_0 X0) \wedge (v1_xreal_0 X0))) \quad (9)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k16_complex1 (k16_complex1 X0) = k16_complex1 X0) \quad (10)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k4_xcmplx_0 (k4_xcmplx_0 X0) = X0) \quad (11)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (12)$$

Assume the following.

$$\forall X0.(v1_int_1 X0) \Rightarrow ((v1_xcmplx_0 (k4_xcmplx_0 X0)) \wedge (v1_int_1 (k4_xcmplx_0 X0))) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge (l3_algstr_0 X1)))) \quad (14)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((v1_int_1 X1) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 (k5_group_1 X0 X1 X2) (u1_struct_0 X0)) \quad (16)$$

Assume the following.

$$\forall X0.(v1_int_1 X0) \Rightarrow (m1_subset_1 (k1_int_2 X0) k5_numbers) \quad (17)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (((r1_xxreal_0 k6_numbers X0) \Rightarrow (k16_complex1 X0 = X0)) \wedge ((\neg r1_xxreal_0 k6_numbers X0) \Rightarrow (k16_complex1 X0 = k4_xcplx_0 X0))) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow ((r1_xxreal_0 X0 X1) \vee (r1_xxreal_0 X1 X0)) \quad (19)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xxreal_0 X0) \quad (20)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xcplx_0 X0) \quad (21)$$

Assume the following.

$$\forall X0.(v1_int_1 X0) \Rightarrow (v1_xreal_0 X0) \quad (22)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \quad (23)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (v3_group_1 X1)) \quad (24)$$

Theorem 1

$$\begin{aligned} \forall X0.(v1_int_1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.(m1_subset_1 \\ X2 (u1_struct_0 X1)) \Rightarrow (\forall X3.(m1_group_2 X3 X1) \Rightarrow (\forall X4. \\ (m1_subset_1 X4 (u1_struct_0 X3)) \Rightarrow ((X2 = X4) \Rightarrow (k5_group_1 X1 X0 \\ X2 = k5_group_1 X3 X0 X4)))))) \end{aligned}$$