

t2_homothet

(TMW6xFoT1obM6JuDy2dTFYRoUqViDecTprx)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v1_diraf : \iota \Rightarrow o$ be given. Let $v2_diraf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_aff_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v6_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_aff_2 : \iota \Rightarrow o$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((r1_aff_1 X0 X1 X1 X2) \wedge ((r1_aff_1 X0 X1 X2 \\ & X2) \wedge (r1_aff_1 X0 X1 X2 X1)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) \\ & (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0)))))) \Rightarrow ((v6_transgeo X1 X0) \Leftrightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (r2_analoaf X0 X2 X3 (k3_funct_2 (u1_struct_0 \\ & X0) (u1_struct_0 X0) X1 X2) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\ & X0) X1 X3)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& \quad X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& \quad \quad X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. \\
& \quad \quad \quad (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6.(m1_subset_1 X6 \\
& (u1_struct_0 X0)) \Rightarrow (((r1_aff_1 X0 X1 X2 X4) \wedge ((r1_aff_1 X0 X1 X3 X5) \wedge \\
& ((r1_aff_1 X0 X1 X3 X6) \wedge ((r2_analoaf X0 X2 X3 X4 X5) \wedge (r2_analoaf \\
& \quad X0 X2 X3 X4 X6)))))) \Rightarrow ((r1_aff_1 X0 X1 X2 X3) \vee (X5 = X6))))))))) \\
& \tag{3}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& \quad X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& \quad \quad X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. \\
& \quad \quad \quad (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r1_aff_1 X0 X1 X3 X4) \wedge ((r2_analoaf \\
& X0 X2 X3 X5 X4) \wedge (X5 = X1))) \Rightarrow ((r1_aff_1 X0 X1 X2 X3) \vee (X4 = X1))))))))) \\
& \tag{4}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& \quad X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\
& \quad \quad X0)) \Rightarrow ((r2_analoaf X0 X1 X2 X3 X3) \wedge (r2_analoaf X0 X3 X3 X1 X2)))))) \\
& \tag{5}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge ((v2_diraf X0) \wedge \\
& \quad (l1_analoaf X0)))) \Rightarrow ((v4_aff_2 X0) \Leftrightarrow (\forall X1.(m1_subset_1 \\
& \quad X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& \quad \quad X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. \\
& \quad \quad \quad (m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X6.(m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow \\
& \quad (\forall X7.(m1_subset_1 X7 (u1_struct_0 X0)) \Rightarrow (((r1_aff_1 X0 \\
& X1 X2 X3) \wedge ((r1_aff_1 X0 X1 X4 X5) \wedge ((r1_aff_1 X0 X1 X6 X7) \wedge ((r2_analoaf \\
& X0 X2 X4 X3 X5) \wedge (r2_analoaf X0 X2 X6 X3 X7)))))) \Rightarrow ((r1_aff_1 X0 X1 X2 \\
& \quad X4) \vee ((r1_aff_1 X0 X1 X2 X6) \vee (r2_analoaf X0 X4 X6 X5 X7))))))))) \\
& \tag{6}
\end{aligned}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{7}$$

Assume the following.

$$\forall X0.(l1_analoaf X0) \Rightarrow (l1_struct_0 X0) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0)\wedge((v1_diraf X0)\wedge(l1_analoaf X0)))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0))\Rightarrow((r1_aff_1 X0 X1 X2 X3)\Leftrightarrow(r2_analoaf X0 X1 X2 X1 X3)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0)\Rightarrow((\neg v7_struct_0 X0)\Rightarrow(\neg v2_struct_0 X0)) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0)\wedge((v1_diraf X0)\wedge((v2_diraf X0)\wedge \\ & (l1_analoaf X0))))\Rightarrow((\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(\neg(X1\neq X2)\wedge((X1\neq X3)\wedge((r1_aff_1 \\ & X0 X1 X2 X3)\wedge(\forall X4.((v1_funct_1 X4)\wedge((v1_funct_2 X4 (u1_struct_0 \\ & X0) (u1_struct_0 X0))\wedge((v3_funct_2 X4 (u1_struct_0 X0) (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0))))))\Rightarrow(\neg(v6_transgeo X4 X0)\wedge((k3_funct_2 \\ & (u1_struct_0 X0) (u1_struct_0 X0) X4 X1 = X1)\wedge(k3_funct_2 (u1_struct_0 \\ & X0) (u1_struct_0 X0) X4 X2 = X3))))))))))\Rightarrow(v4_aff_2 X0)) \end{aligned}$$