

t2_jordan6
(TMdai1m7fUa2btrquaEUo5urWXtKpaVeEy9)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_pre_topc : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_pre_topc X1 X0) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow \\ & ((v4_pre_topc X2 X1) \Leftrightarrow (\exists X3.(m1_subset_1 X3 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \wedge ((v4_pre_topc X3 X0) \wedge (k9_subset_1 (u1_struct_0 \\ & X1) X3 (k2_struct_0 X1) = X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (2)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(m1_pre_topc X1 X0) \Rightarrow (l1_pre_topc X1)) \quad (3)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (l1_struct_0 X0) \quad (4)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (m1_subset_1 (k2_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((l1_pre_topc X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow ((v1_pre_topc (k1_pre_topc X0 X1)) \wedge (m1_pre_topc \\ & (k1_pre_topc X0 X1) X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_pre_topc\ X0) \Rightarrow (\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1 \\ (u1_struct_0\ X0))) \Rightarrow (\forall X2.((v1_pre_topc\ X2) \wedge (m1_pre_topc \\ X2\ X0)) \Rightarrow ((X2 = k1_pre_topc\ X0\ X1) \Leftrightarrow (k2_struct_0\ X2 = X1)))) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0\ X0) \wedge ((v2_pre_topc\ X0) \wedge (l1_pre_topc \\ X0))) \Rightarrow (\forall X1.(m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0 \\ X0))) \Rightarrow (\forall X2.(m1_subset_1\ X2\ (k1_zfmisc_1\ (u1_struct_0 \\ (k1_pre_topc\ X0\ X1)))) \Rightarrow (\forall X3.(m1_subset_1\ X3\ (k1_zfmisc_1 \\ (u1_struct_0\ X0))) \Rightarrow (((v4_pre_topc\ X3\ X0) \wedge (X2 = k9_subset_1\ (u1_struct_0 \\ X0)\ X3\ X1)) \Rightarrow (v4_pre_topc\ X2\ (k1_pre_topc\ X0\ X1)))))) \end{aligned}$$