

t2_msafree2

(TMcz6XumQ6WMMYhY5G5dWS7W9ESBsJwKZ8E)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_msafree2 : \iota \Rightarrow \iota$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k6_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $u2_msualg_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (1)$$

Assume the following.

$$\forall X0. k4_xboole_0 X0 k1_xboole_0 = X0 \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. k6_subset_1 X0 X1 = k4_xboole_0 X0 X1 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (7)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (8)$$

Assume the following.

$$\forall X0.((\neg v11_struct_0 X0)\wedge(l5_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u4_struct_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_msualg_1 X0)\Rightarrow((v1_funct_1 (u2_msualg_1 X0))\wedge \\ ((v1_funct_2 (u2_msualg_1 X0) (u4_struct_0 X0) (u1_struct_0 X0))\wedge \\ (m1_subset_1 (u2_msualg_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 \\ X0) (u1_struct_0 X0)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_msualg_1 X0)\Rightarrow(l5_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.m1_subset_1 (k6_subset_1 X0 X1) (k1_zfmisc_1 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k4_xboole_0 X0 X1)\Leftrightarrow(\forall X3. (X3 \in X2)\Leftrightarrow((X3 \in X0)\wedge(\neg X3 \in X1))) \quad (13)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge(v1_funct_1 X0))\Rightarrow(\forall X1.(X1 = k10_xtuple_0 X0)\Leftrightarrow(\forall X2.(X2 \in X1)\Leftrightarrow(\exists X3.(X3 \in k9_xtuple_0 X0)\wedge(X2 = k1_funct_1 X0 X3)))) \quad (14)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge(l1_msualg_1 X0)))\Rightarrow(\forall X1.(m1_subset_1 X1 (u4_struct_0 X0))\Rightarrow(k2_msualg_1 X0 X1 = k3_funct_2 (u4_struct_0 X0) (u1_struct_0 X0) (u2_msualg_1 X0 X1))) \quad (15)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \Rightarrow (k2_msafree2 X0 = k6_subset_1 (u1_struct_0 X0) (k2_relset_1 (u1_struct_0 X0) (u2_msualg_1 X0))) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (((X1 \neq k1_xboole_0) \Rightarrow ((v1_funct_2 X2 X0 X1) \Leftrightarrow (X0 = k1_relset_1 X0 X2))) \wedge ((X1 = k1_xboole_0) \Rightarrow ((v1_funct_2 X2 X0 X1) \Leftrightarrow (X2 = k1_xboole_0)))) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (19)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((X1 \in k2_msafree2 X0) \Rightarrow (\forall X2.(m1_subset_1 X2 (u4_struct_0 X0)) \Rightarrow (k2_msualg_1 X0 X2 \neq X1))))$$