

# t2\_pre\_topc (TMEqzXN- pZwedeMP4i83uMgxHzBAA4T2EJby)

October 27, 2020

Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k4\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_subset\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (k4\_subset\_1 X0 X1 (k3\_subset\_1 X0 X1) = k2\_subset\_1 X0) \quad (1)$$

Assume the following.

$$\forall X0. k2\_subset\_1 X0 = X0 \quad (2)$$

Assume the following.

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (k2\_struct\_0 X0 = u1\_struct\_0 X0) \quad (3)$$

**Theorem 1**

$$\forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (k4\_subset\_1 (u1\_struct\_0 X0) X1 (k3\_subset\_1 (u1\_struct\_0 X0) X1) = k2\_struct\_0 X0))$$